Product environmental attributes – THE ECO DECLARATION

Brand *	*Lexmark*	**Logo**
Company name *	*Lexmark International, Inc.*	
Contact information *	*Nadia Martin (USA)*	
Internet site *	*www.lexmark.se / www.lexmark.com*	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	*Single Function Mono Laser Printer*
Commercial name *	*Lexmark T650n*
Model number *	*T650n*
Issue date *	*9/12/2008*
Intended market *	☒ **Global** ☐ **Europe** ☐ **Japan** ☐ **U.S.** ☐ **Other**
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality Control	**Requirement met**		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	☒	☐
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	☒	☐

Model number *	***T650n***		
Issue date *	***9/12/2008***	**Logo**	LEXMARK

Product environmental attributes - Legal requirements	**Requirement met**			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	**Hazardous substances and preparations**			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in *EU 2002/95/EC and its amendments*	☒	☐	
P1.2*	Products do not contain Asbestos *(EU 76/769/EEC, amendment 1999/77/EC)*	☒	☐	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (*EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)*	☒	☐	
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (*EU 76/769/EEC)*	☒	☐	
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in *Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002*	☒	☐	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (*EU 76/769/EEC)*	☐	☐	☒
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in *EU 76/769/EEC, amendment 2003/3/EC*	☐	☐	☒
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (*EU 76/769/EEC)*	☐	☐	☒
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in *76/769/EEC, amendment 94/27/EEC*	☐	☐	☒
P2	**Batteries**			
P2.1*	If hazardous batteries (as defined in *91/157/EEC*) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in *91/157/EEC, 93/86/EEC*)	☐	☐	☒
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in *91/157/EEC*	☒	☐	☐
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual *(91/157/EEC)*	☐	☒	☐
P3	**Electrical safety, EMC and connection to the telephone network**			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety *(73/23/EEC & 93/68/EEC)*	☒	☐	☐
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility *(89/336/EEC / 2004/108/EEC after June, 20th 2007*	☒	☐	☐
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive *(1999/5/EC)*	☒	☐	☐
P3.4*	The product is CE-marked *and a Declaration of Conformity is available (93/68/EEC)*	☒	☐	☐
P4	**Consumable materials**			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in *(76/769/EEC and 91/338/EEC)*	☒	☐	☐
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in *(76/769/EEC and 91/338/EEC)*	☒	☐	☐
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with *(99/45/EC & 2001/58/EC)* is available.	☒	☐	☐
P5	**Product packaging**			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight *(94/62/EC).*	☒	☐	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.*(97/129/EEC)*	☒	☐	☐
P5.3*	The product packaging material is free from CFC/HCFC.	☒	☐	☐
P6	**Treatment information**			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	☒	☐	☐

Model number *	***T650n***		
Issue date *	***9/12/2008***	**Logo**	LEXMARK

Product environmental attributes - Market requirements - Environmental conscious design				
	Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	**Design**			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	☒	☐	☐
P7.2*	Plastic materials in covers/housing have no surface coating.	☒	☐	☐
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	☒	☐	☐
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	☒	☐	☐
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	☒	☐	☐
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	☒	☐	☐
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	☒	☐	☐
P7.8*	Upgrading can be done using commonly available tools	☒	☐	☐
P7.9.	Spare parts are available after end of production for: 5 years			☐
P7.10	Service is available after end of production for: 5 years			☐
	Material and substance requirements			
P7.11*	Product cover/housing material type: Material type: ***ABS*** Material type: ***HIPS*** Material type: ***PC/ABS***			
P7.12*	Electrical cable insulation material of power cables are halogen free (including PVC)	☐	☒	☐
P7.13*	Electrical cable insulation material of signal cables are halogen free (including PVC)	☐	☒	☐
P7.14	All cover/housing plastic parts >25g are halogen free	☒	☐	☐
P7.15	All printed circuit boards (without components) >25g are halogen free	☐	☒	☐
P7.16	Chemical specifications of flame retardants in cover / housing plastic parts >25g according ISO 1043-4: ***FR(40)***	☒	☐	☐
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: ***FR(16)***	☒	☐	☐
P7.18	Weight of recycled material in plastic parts is			
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 *(67/548/EEC)*	☐	☐	☐
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	☒	☐	☐
P8	**Batteries**			
P8.1*	Product does not contain batteries defined as hazardous according to *91/157/EEC*	☒	☐	☐
P8.2*	Battery chemical composition: ***Lithium Manganese Dioxide, LiMnO2***			☐
P8.3	Batteries meet the requirements of the following voluntary program/s:			☐
P9	**Energy consumption**			
9.1	For the product the following power levels or energy consumptions have been measured:			

Mode	Power level at * ***230*** Volts	Time (s) to <mode>	Mode description	Reference/ Standard	n.a.
On-max	W		*	*	☒
On-normal	* ***640*** W	to	* ***Printing***	***Company Standard***	☐
On-idle	***80*** W	to	* ***Ready Mode***	***Energy STAR TEC***	☐
Save 1	* ***12*** W	to	* ***Power Saver Mode (Sleep)***	***Energy STAR TEC***	☐
Save 2	W	to	*	*	☒
Off 1	* ***0*** W	to	* ***Plugged in Off Mode***	***ENERGY STAR***	☐
Off 2	W	to	*	*	☒
No load	* W		External power supplies/charger plugged in but disconnected from the product	*	☒
TEC	* ***312.5*** kWh/y Typical Energy Consumption per year			***Energy STAR TEC***	☐

P9.2*	Information about the energy save function is provided with the product.	☒	☐	☐
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® MOU Others specify:	☐ ☐	☒ ☐	☐ ☐

Model number *	***T650n***		
Issue date *	***9/12/2008***	**Logo**	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P10	**Emissions**			
	Noise emission – Declared according to ISO 9296			

	Mode	Mode description	Declared A-weighted sound power level L_{WAd} (B)	Declared A-weighted sound pressure level L_{pAm} (dB): Operator position ☐ Desktop ☐ or Deskside ☐	Bystander positions ☒ (only if product is not operator attended)	
P10.1	Idle	* ***Ready***	* ***4.1***	***26***		☐
	Operation	* ***Simplex Monochrome Printing***	* ***6.8***	***53***		☐
	Other mode					
	Measured according to: ☒ ISO 7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L_{pAm} measurement distance m)					

P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: ***RAL-UZ 122***	☒	☐	☐
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 standard ☐, other specify: ***RAL-UZ-122*** The test covers: Dust ☒ Ozone ☒ Styrene ☒ Benzene ☒ TVOC ☒	☒	☐	☐
P10.4	The product meets the chemical emission requirements of the following voluntary program/s: ***Blue Angel - RAL-UZ-122***	☒	☐	☐
	Electromagnetic emissions			
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	☐	☐	☒
P11	**Consumable materials for printing products**			
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	☒	☐	☐
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.	☒	☐	☐
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	☐	☒	☐
P12	**Ergonomics for computing products**			
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.	☐	☐	☒
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.	☐	☐	☒
P12.3*	The computer input device meets the requirements of ISO 9241-9.	☐	☐	☒
P13	**Packaging and documentation**			
P13.1*	Product packaging material type(s): ***Corrugated*** weight (kg): ***2.273*** Product packaging material type(s): ***Expanded Polystyrene*** weight (kg): ***0.434*** Product packaging material type(s): ***Polyurethane Foam*** weight (kg): ***0.155*** ***Low Density Polyethylene = 0.086***	☒	☐	
P13.2*	Product plastic packaging is halogen free (including PVC)	☒	☐	☐
P13.3*	User and product documentation do not contain chlorine bleached paper	☐	☒	☐
P13.4*	User and product documentation contain recycled paper	☐	☒	☐
P14	**Additional information**			
	Additional company information and company environmental policy may be found at http://environment.lexmark.com			
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle			
	Lexmark Sweden is connected to REPA and El-kretsen ****P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in user's manuals per Article 11 of the 2006/66/EC Battery Directive.***			

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.