

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Chris Saunders	
e-mail address	Lexmark International	🚺 Lexmark
	740 West New Circle Road, Bldg. 1	
	Lexington, KY 40550	
	chris.saunders@lexmark.com	
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	ulti-function color laser device					
Commercial name *	Lexmark CX421adn, Lexmark MC2325adw, Lexmark MC2425adw					
Model number *	CX421adn, MC2325adw, MC2425adw					
Issue date *	June 19, 2018					
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	CX421adn, MC2325	adw, MC2425adw	Logo				M
Issue date *		June 19, 2018				Le	kma	ark
Produc	t environ	mental attributes -	· Legal requirements		Re	quire	ment	met
Item						Yes	No	n.a.
P1		ous substances and						
P1.1*			urrent European RoHS Directive. (See legal reference and	NOTE B1)		\boxtimes		
P1.2*			stos (see legal reference). s no maximum concentration value.			\square		
P1.3*	hydrobro trichloro	omofluorocarbons (HB	e Depleting Substances: Chlorofluorocarbons (CFC), BFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetra de (see legal reference). Comment: Legal reference has no		,1-			
P1.4*			than; 0,005% polychlorinated biphenyl (PCB), 0,005% poly ns (see legal reference).	ychlorinated		\boxtimes		
P1.5*	Products	s do not contain more	than 0,1% short chain chloroparaffins (SCCP) with 10-13 of per mass of chlorine in the SCCP (see legal reference).	carbon atoms	in the	\square		
P1.6*	(see leg	al reference).	d skin contact do not release nickel in concentrations abov eference when tested according to EN1811:2011-5.	/e 0,5 μg/cm²/	week			
P1.7*	REACH REACH	Article 33 information Program Manager, F	about substances in articles is available at (add URL or m HOD9237, 740 West New Circle Rd., Lexington, KY 405					
P2	Batterie	-						
P2.1*			ry or an accumulator, the battery/accumulator is labeled wi disposal is provided in user manual. (See legal reference)		al	\boxtimes		
P2.2*	Batterie: referenc		not contain more than 0,0005% of mercury or 0,002% of ca	admium. (See	legal	\boxtimes		
P2.3*	Batterie	and accumulators ar	e readily removable. (See legal reference)			\boxtimes		
P3	Conform	nity verification & Ec	co design (ErP)					
P3.1*	The Dec	laration of Conformity	show conformance with applicable legal requirements (see can be requested at (add link or e-mail address):	-	ce).	\boxtimes		
	http://w conforr	ww.lexmark.com/en_ nity.html	_us/about/regulatory-compliance/european-union-decl	aration-of-				
P3.2*		duct complies with the al reference).	Eco design requirements for energy-related products,			\square		
		d information is;	given in item P15 or added to this document,			\square		
			available at (add URL): <u>http://csr.lexmark.com/eu r</u>	regulations.s	html		_	
P4	Consur	nable materials						
P4.1*		o conductor (drum, be erence and NOTE B1)	elt etc.) is used in the product, it does not contain cadmium).	max 0,01% (see	\boxtimes		
P4.2*			uct, it does not contain cadmium max 0,1% by weight (see	legal reference	ce).	\square		
P4.3*	are Com applicab	munity workplace exp	paration is classified as hazardous or contains a substance posure limits, the product/packaging is adequately labeled a afety Data Sheet (SDS) in accordance with these requiren	according to				
P5		t packaging						
P5.1*	Packagi		omponents do not contain more than 0,01% lead, mero	cury, cadmiur	n and			
P5.2*	The pac		narked with abbreviations and numbers indicating the natu	ire of the mate	erial(s)	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
	••••••							
P6		nt information						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	CX421adn, MC2325adw, MC2425adw	Logo			TM
Issue date *		June 19, 2018		Le	exm	ark
		mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ement	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	nbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			+	- 13
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly avai	ilabla toola		<u> </u>	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			<u> </u>	<u> </u>
P7.9.		rts are available after end of production for: 5 years				<u> </u>
P7.10		s available after end of production for: 5 years				<u> </u>
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		ype: ABS Material type: PC+ABS Material ty	ype:			
P7.12	Insulatior	materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatior	n materials of internal electrical cables are PVC free.				
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brom 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chl	etardants,	and		
P7.15	Printed of	g more than 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g	g 🗌 are	low		
P7.16	Flame re	as defined in IEC 61249-2-21. (See NOTE B2) tarded plastic parts > 25 g in covers / housings are marked according ISO /Jarking: FR40				
P7.17	<u>Alt. 1</u> : Ch TBBPA (emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	CAS #:			
		emical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4: <i>FR16</i>	is) > 25 g	\boxtimes		
P7.18	<u>Alt. 1:</u> Fl concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/p ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "	preparation	s in		
	<u>Alt. 2:</u> Cł	cal name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4 R17, FR40, FR30+40	4:	\boxtimes		
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which has the following Risk phrases; and Hazard statements:				
		ce(s) for these classifications is/are found at (add URL(s)): , (See NO	DTE B5)			
P7.20*	lf YES; a a) Of te	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (c sentage of total plastic by weight) is <i>Up to 35</i> %.	alculated a	as a		
		weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	nber *	CX421adı	n, MC2325adw, MC24	425adw		Logo			TM
Issue date) *	June 19, 2018				🚺 Le×	ma	rk	
Product	environr	nental att	ributes - Market re	quirements (cor	tinued)		Require	ement	met
Item							Yes	No	n.a.
D7 0.11	Material	and subst	ance requirements (continued)					
P7.21*							X		
	a) Of				wered; c material content (calcu	ulated as a perce	entage of		
	or b) The weight of the biobased plastic material is g.								
P7.22*			ee from mercury, i.e. lopecify: Number of lam		np. imum mercury content p	er lamp:	ng		
P8	Batterie	S		•		-	-		
P8.1*	Battery of	chemical co	mposition: <i>Lithium M</i>	anganese Dioxide	(LiMnO2)				
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the	product the	following power levels	or energy consum	otions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® O (OM) prod	perational		W	W	W				
Standby/or ENERGY Mode (OM	ff mode fo STAR Ope	erational	W	W	W				
	for ENER	RGY STAR	1.0 kWh/week	1.0 kWh/week	1.1 kWh/week	Energy Star	I E V2.0		
(TEC= Typ	oical Energ	ду							
Printing			388 W	388 W	242 W	Corporate S	tandard		
Ready Mo	de 1		37.88 W	32.54 W	30.87 W	Energy Star	I E V2.0		
Ready Mo	de 2		24.69 W	23.85 W	23.34 W	Energy Star	I E V2.0		
Sleep			2.06 W	2.08 W	2.10 W	Energy Star	I E V2.0		
Hibernate			0.08 W	0.09 W	0.11 W	IEC 62301			
Off			0.08 W	0.09 W	0.11 W	IEC 62301			
External P	ower Sup	ply Efficienc	y Level (International	Efficiency Marking	Protocol) * :				\square
Print/Scan	Speed *	:	23 images per minute			ISO 24734			
Default time to enter energy save mo			e mode: 1 minutes	mode: 1 minutes			I E V2.0		
P9.2* Information about the energy save function is provided with the product.									
P10	Emissic								
.	1		Declared according to						
P10.1	Mode	м	ode description		Statistical upper limit A- L _{WA,c} (B)	weighted sound	power level,		
	Idle		Idle / Ready		*3.1				
	Operatio		Duplex Monochrome	-	* 6.4				
	Other m		Simple Monochrome		6.5				
	Measure	ed according	g to: 🔀 ISO 7779 🔀 🗌 Other	ECMA-74 (only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		* CX421adn, MC2325adw, MC2425adw June 19, 2018			1	Logo			
						Lexmark			
Product	environ	mental attributes	- Market requirements (cor	ntinued)		F	Require	ment	met
Item							Yes	No	n.a.
D40 ot			printing products (See NOTE E						
P10.2*			ECMA-328 Determination of Ch C 28360) , other specify: R		Rates from		\square		
P10.3			tion phase) is (mg/h):	AL-UZ 205					
F 10.3			· , () ,						
	Electrophotographic devices: Ozone <0.3 (LOQ) Dust <0.22 (LOQ) Styrene 0.146 Benzene <0.012 (LOQ) TVOC 5.005								
	Ink devices: Dust Styrene Benzene TVOC								
	Note: compliance with maximum emission rates in eco labels to be declared in P14.								
P11		nable materials for							
P11.1*	A Safet	y Data Sheet (SDS)	is available for the ink/toner prepa	aration, even if not	t legally requir	ed (see P4.3).	\bowtie		
P11.2*	Paper o EN 122		umer recycled fibers can be us	sed, provided that	t it meets the	e requirements of	\mathbf{X}		
P11.3*			ying is an integrated product fun	ction.			\boxtimes		
P11.4*			end-user with default auto-duplex					H	∺
P13	•	ing and documenta							
P13.1*	Product Product	packaging material packaging material packaging material	type(s): Corrugated weight (kg	weight (kg): 0.10	(kg): 0 .64				
P13.2*	Product	plastic primary pack	aging is free from PVC.				\boxtimes		
P13.3*		duct primary corrug	ated fiberboard packaging, spec ontent: Recycled content >2		percentage of	of minimum post-			
P13.4*		media for user and p nic 🔀, Paper 🔀, O	product documentation (tick box):						
P13.5	Ùser ar		em if paper documentation used ation on paper media is chlorine-						
	Totally	chlorine-free					\bowtie		
	Elemen	Elemental chlorine-free							
	Process	sed chlorine-free							
P14		ary programs:							
P14.1	The pro	duct meets the requi	rements of the following voluntar	y program(s):					
		SY STAR® el: Blue Angel	Criteria version: 2.0Date: Criteria version: RAL-UZ 205			ategory: <i>Imaging</i> ategory: <i>Office Eq</i> <i>unction</i>			
	Eco-lab		Criteria version:	Date:	Product ca	ategory:			
P15	P2.1 - 1 proper P2.3 - 1 the cus P5.2 - 7 they are P7.14 - intentio P7.20 -	ly labeled with the N The battery contains atomer; however, is The packaging materia > 25g A small amount of bro nally added in the pro Per IEEE 1680.2 PC	ed within this product should b NEEE disposal symbol and ins ed within this product meets th designed for easy removal by als are marked with abbreviations omine may be present in covers do pocessing of these parts.	tructions for suc e exception lister recyclers and se and numbers indic ue to sourcing post	h disposal is d. The batter rvice provide ating the natur	listed in the pro ry is not intended ers. re of the material(s	duct Us 1 to be r :) used w	er's Gi emove then	

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1