

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Chris Saunders	
e-mail address	Lexmark International	🚺 Lexmark
	740 West New Circle Road, Bldg. 1	
	Lexington, KY 40550	
	chris.saunders@lexmark.com	
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	ingle-function color laser device				
Commercial name *	exmark CS2325dw				
Model number *	CS2325dw				
Issue date *	June 19, 2018				
Intended market *	* Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number * CS2325dw		CS2325dw Logo				TM	
Issue date *		June 19, 2018		Le>	kma	ark	
Product environmental attributes - Legal requirements Re						met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	Products		\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square			
	trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	1,1-				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).		\square			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atom ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	s in the	\boxtimes			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm al reference).	²/week	\boxtimes			
		nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550		\square			
P2	Batterie	9S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the dispo- Information on proper disposal is provided in user manual. (See legal reference)	sal	\square			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (Se	e legal	\square			
P2.3*							
P3	Confor	mity verification & Eco design (ErP)					
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal refere claration of Conformity can be requested at (add link or e-mail address):	nce).	\square			
	http://w	ww.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of- nity.html					
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			\square			
	· •	d information is; given in item P15 or added to this document,		\square			
	•	available at (add URL): <u>http://csr.lexmark.com/eu_regulations.</u>	.shtml	_		_	
P4	Consun	nable materials					
P4.1*		to conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% ference and NOTE B1).	(see	\square			
P4.2*		ner is used in the product, it does not contain cadmium max 0,1% by weight (see legal refere	nce).	\boxtimes			
P4.3*	3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available						
P5		al reference). t packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmin	um and	\square			
P5.2*	hexavalent chromium by weight of these together.						
	used (se	ee legal reference).	.,				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal 🛛 🗌 🗌						
De		nt: Legal reference has no maximum concentration values.					
P6.1*		ent information ion for recyclers/treatment facilities is available (see legal reference).					
10.1	monnal	וטר וטר וטטעטטאוניאוניבמווובוו ומטוווובי ויז מימוומטוב (שבר ובעמו ובובובוונב).		\bowtie			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	CS2325dw Log	jo			TM	
Issue da	sue date * June 19, 2018			Lexmark			
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design	nbly, recycling					
P7.1*		t have to be treated separately are easily separable		\square			
P7.2*		aterials in covers/housing have no surface coating.			∺	╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	╞	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	⊢⊢	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly availab	le tools		╞	╞	
P7.6*	-	e easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╞	
17.0	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			H	Ħ	
P7.9.		rts are available after end of production for: 5 years				H	
P7.10		s available after end of production for: 5 years				H	
		and substance requirements					
P7.11*	Product of	over/housing material type (e.g. plastics, metal, aluminum):					
		ype: ABS Material type: PC+ABS Material type					
P7.12		n materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.			\square		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorir g more than 25% post-consumer recycled content.	dants, and				
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g	are low		\square		
P7.16	Flame re	as defined in IEC 61249-2-21. (See NOTE B2) tarded plastic parts > 25 g in covers / housings are marked according ISO /Jarking: FR40		\square			
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without compor	nents):				
	TBBPA (additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name: , CA	S #:				
	according	emical specifications of flame retardants in printed circuit boards (without components) : ISO 1043-4: <i>FR16</i>	•	\boxtimes			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/prep ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "	arations in				
	<u>Alt. 2:</u> Cł	cal name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: R17, FR40, FR30+40		\boxtimes			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have the following Risk phrases; and Hazard statements:					
D7 00*		ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE	: B5)				
P7.20*	lf YES; a a) Of to perc	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calc centage of total plastic by weight) is <i>Up to 40</i> %.	ulated as a				
	or b) The	weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	nber *	CS2325dv	v			Logo	-		 TM
Issue date	te * June 19, 2018					Lexi	ma	rk	
Product	roduct environmental attributes - Market requirements (continued) Requirement me								
Item							Yes	No	n.a.
P7.21*	Material and substance requirements (continued) 7.21* Biobased plastic material content is used in the product (See NOTE B7): X								
F1.21	If YES; at least one of the two alternatives below shall be answered;								
	a) Of		parts' weight > 25 g,		swered; ic material content (calc	ulated as a percer	tage of		
		e weight of t	he biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. lopecify: Number of lam		np. kimum mercury content	per lamp: m	g		
P8	Batterie	s							
P8.1*	Battery of	chemical co	mposition: <i>Lithium M</i>	anganese Dioxide	(LiMnO2)				
P9		-	on (See NOTE B8)						
P9.1	For the	product the	following power levels	or energy consum	ptions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and tes		nergy	
Sleep moo STAR® O (OM) prod	perational		W	W	W				
Standby/o ENERGY	ff mode fo STAR Op	erational	W	W	W				
Mode (OM) products TEC value for ENERGY STAR TEC products			0.9 kWh/week	0.9 kWh/week	1.0 kWh/week	Energy Star I	E V2.0		
(TEC= Typ	ical Ener	gy							
Printing			384 W	381 W	236 W	Corporate Sta	ndard		
Ready Mo	de 1		29.57 W	28.32 W	32.13 W	Energy Star I	E V2.0		
Ready Mo	de 2		19.88 W	19.76 W	19.71 W	Energy Star I	E V2.0		
Sleep			1.31 W	1.34 W	1.37 W	Energy Star I	E V2.0		
Hibernate			0.11 W	0.12 W	0.15 W	IEC 62301			
Off			0.11 W	0.12 W	0.15 W	IEC 62301			
External P	ower Sup	ply Efficienc	y Level (International	Efficiency Marking	Protocol) * :				\boxtimes
Print/Scan	Speed *	:	: 23 images per minute			ISO 24734			
Default tim	e to enter	r energy sav	ve mode: 1 minutes			Energy Star I	E V2.0		$\overline{\neg}$
P9.2* Information about the energy save function is provided with the product.									
P10	Emissio	ons							
	Noise e	mission – [Declared according to	ISO 9296 (See NC					
P10.1	Mode	М	ode description		Statistical upper limit A $L_{WA,c}$ (B)	-weighted sound po	ower level,		
	Idle		ldle / Ready		*3.1				
Operation *			Duplex Monochrome	-					
	Other m		Simple Monochrome	-	6.3				
Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		CS2325dw			Log				174
		June 19, 2018					Lexmark		
Product	environ	mental attributes	- Market requirements (con	tinued)		Re	quire	ment	met
Item							Yes	No	n.a.
D40.0t	Chemic	cal emissions from	printing products (See NOTE E	810)					
P10.2*			ECMA-328 Determination of Ch C28360) , other specify: R4		Rates from		\boxtimes		
P10.3			ation phase) is (mg/h):	AL-UZ 205					
1 10.5			1 , (0 ,						
	Electro		s: Ozone <0.3 (LOQ) Dust <0.2	2 (LOQ) Styre	ene 0.146 Benz)Q)		
	Ink devices: Dust Styrene Benzene TVOC								
	Note: c	ompliance with maxir	num emission rates in eco labels	to be declared in	P14.				
P11	Consu	mable materials for	printing products						
P11.1*	A Safet	y Data Sheet (SDS)	is available for the ink/toner prepa	aration, even if no	t legally required	(see P4.3).	\boxtimes		
P11.2*			umer recycled fibers can be us	sed, provided that	t it meets the re	quirements of	\boxtimes		
P11.3*	EN 122		ying is an integrated product fun	ction					
P11.4*			end-user with default auto-duplex					<u> </u>	┝
P13		ing and documenta		enabled.					
P13.1*			type(s): Corrugated weight (kg	a): 2.542					
	Product Product Expand	t packaging material	type(s): <i>Plastic - HDPE</i> type(s): <i>Expanded Poylstyrene</i>	weight (kg): 0.10	(kg): 0 .23				
P13.2*			aging is free from PVC.				\square		
P13.3*		duct primary corrug	ated fiberboard packaging, spec ontent: Recycled content >2		percentage of n	ninimum post-			
P13.4*		media for user and p nic 🔀, Paper 🔀, O	product documentation (tick box):						
P13.5	Ùser ar		em if paper documentation used ation on paper media is chlorine-						
	Totally	chlorine-free					\boxtimes		
	Elemen	Elemental chlorine-free					ī.		
	Process	sed chlorine-free							
P14		ary programs:							
P14.1	The pro	duct meets the requi	rements of the following voluntar	y program(s):					
		BY STAR® pel: <i>Blue Angel</i>	Criteria version: 2.0Date: Criteria version: RAL-UZ 205			ory: <i>Imaging E</i> o ory: Office Equ ation			
	Eco-lab		Criteria version:	Date:	Product categ				
P15		nal information (Se							
	proper P2.3 - 1 the cus	ly labeled with the V The battery containe stomer; however, is	ed within this product should b NEEE disposal symbol and ins ed within this product meets th designed for easy removal by als are marked with abbreviations	tructions for suc e exception liste recyclers and se	h disposal is lis d. The battery is rvice providers.	ted in the produ s not intended a	to be r	er's Gi emove	
	they are >25g								
	P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was								
	intentionally added in the processing of these parts.								
		Per IEEE 1680.2 PC							
	P10.3 -	CS521dn model us	sed in emissions testing for th	is family					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1