

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	
Internet site *	www.lexmark.se / www.lexmark.com	·
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	pe of product * Single Function Mono Laser Printer			
Commercial name *	exmark MS711dn			
Model number *	MS711dn			
Issue date *	December 8, 2014			
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	MS711dn		
Issue date *	December 8, 2014	Logo	LEXMARK

Product environmental attributes - Legal requirements				met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
1 1.5	microgram/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic			
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		H	H
	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
L	comment. Legar foror no no no na maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

		MS711dn					
Issue date *		December 8, 2014	Logo	LEXM	ARK		
						TA	
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			Yes	No	n.a.	
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7	Design						
	•	mbly, recycling					
P7.1*			\boxtimes				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\square		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			Ē		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ē		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		H	H	
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			H	\dashv	
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square			
P7.8*		ng can be done using commonly available tools			╶┼┤	╶岩╴	
P7.9.						⊢⊢	
P7.10		arts are available after end of production for: 5 years		14		<u> </u>	
17.10		s available after end of production for: 5 years					
P7.11*		and substance requirements cover/housing material type:					
F7.11			type: PC/ABS				
P7.12		I cable insulation materials of power cables are PVC free.			\square		
P7.13		I cable insulation materials of signal cables are PVC free				⊢⊢	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				<u> </u>	
P7.15			1240 2 21 (800	<u> </u>		<u> </u>	
F7.15	Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC6	1249-2-21. (See		M		
P7.16	/	/ etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		\boxtimes			
17.10	Marking:						
P7.17	Alt. 1						
		al specifications of flame retardants in printed circuit boards >25g (without componer	nts):				
	TBBPA ((additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2						
		al specifications of flame retardants in printed circuit boards (without components) >2	25a accordina	\bowtie			
		3-4: <i>FR(16)</i>	gg				
P7.18	Alt. 1						
		etarded plastic parts >25g contain the following flame retardant substances/	preparations in				
		ations above 0.1%:					
		ent: No legal limits exist, this is a market requirement.					
		ical name: , CAS #: ical name: , CAS #:					
		ical name: , CAS #:					
	Alt. 2						
	Chemica	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:		_	_	_	
_	FR(40),	FR(17), FR(16), FR(50)					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ified as R45,				
P7.20		plastic parts' weight >25g, recycled material content is <i>up to</i> 16%.					
P7.21		plastic parts' weight >25g, biobased material content is %.					
P7.22		urces are free from mercury		\boxtimes			
Do		ry is used specify: Number of lamps: and max. mercury content per lamp:	mg				
P8 P8.1*	Batterie	s chemical composition: Lithium Manganese Dioxide, LiMnO2					
						<u> </u>	
P8.2	Batteries	meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur Issue date		11dn ember 8, 2014			Logo		
	Dec	ember 6, 2014			Logo	LEXMARK	TM.
Product	environmenta	al attributes - Marke	t requirements (co	ntinued)		Requirement	t met
ltem						Yes No	n.a.
P9	Energy consu						
9.1	For the produc	t the following power le		-			
Energy mo	ode *	Power level 100 V AC	at Power level a 115 V AC	t Power level 230 V AC	at Reference / St modes and test m	andard for energy ethod *	
Printing		784 W	760 W	760 W	Corporate Standard		
Ready 1 N	lode	82.4 W	91.6 W	84.1 W	Energy Star I E V	/1.2	
Ready 2 M	lode	70.6 W	71.2 W	65.3 W	Energy Star I E V	/1.2	
Sleep Mod	de	2.9 W	2.9 W	2.9 W	Energy Star I E V	/1.2	
Hibernate	Mode	0.48 W	0.49 W	0.51 W	IEC 62301		
Off Mode		0.1 W	0.1 W	0.1 W	IEC 62301		
EPS No-lo	ad	W	W	W			
charger plu	bower supply / ugged in the wa disconnected fro tt.)						
PTEC * Typical En	ergy Consumpt	ion	W	W			
TEC * Typical En	ergy Consumpt	6.0 kWh/week	5.6 kWh/week	5.7 kWh/week	Energy Star I E V	/1.2	
ETEC * Annual Energy Consumption		kWh/year	kWh/year	kWh/ye	ar		
Display res	solution* :	Megapixels					
Print Spee	d * : 55 Ir	nages per minute			Corporate Stand	ard	
Default tim	e to enter energ	gy save mode: 20 minu	tes	Energy Star I E		/1.2	
P9.2*		out the energy save fu		the product.			⊢⊢
P9.3*	ENERGY STA	neets the energy require R® version: 1.1/1.2 Tie r: Energy Star Imaging	er: 1 Product category:	Imaging Equipr			
P10	Emissions						
D 40.4		on – Declared accordin	g to ISO 9296	Deal		and the d	
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A- sound pressure le		
				level L_{WAd} (B)	Operator position	Bystander positions	
				WAU ()	Desktop 🗌 or Desk side 🗌	(only if product is not operator attended)	
	Idle	* Ready		* 4.8	33	1 /	
	Operation	* Simplex Monoch Normal Mode	rome Printing,	* 7.2	56	•	
	Other mode	Simplex Monoch Quiet Mode	rome Printing,	6.8 52		2	
	Measured acc	ording to: X ISO7779		by FCMA-74 wit	h L _{pAm} measurement dis	tance m)	1
		neets the acoustic noise					

Model nu	mber *	MS711dn				
Issue date *		December 8, 2014	Logo	EXM	RK	
					18	
Product	oduct environmental attributes - Market requirements (continued) Requirement					met
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL	UZ-122	\square		
P10.4	•••	emission rate (print phase) is (mg/h):				
P10.5	Chamias	Dust 1.1 Ozone 0.08 Styrene <0.01 Benzene 0.013 TVOC 3.1 al emission requirements of the following voluntary program/s RAL-UZ 122 are me	for .		_	
P10.5	0	Dust 🔀 Ozone 🛛 Styrene 🔀 Benzene 🖾 TVOC				
		nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the fo	llowing voluntary			
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see P4 3)			
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets the			∺	H
1 11.2	EN1228		ie requirements e			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes		
P12		nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	ogies.			\square
P12.2*		sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\square
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated weight (kg): 3.398				
		packaging material type(s): <i>Polystyrene, expanded</i> weight (kg): 0.634 packaging material type(s): <i>Low Density Polyethylene</i> weight (kg): 0.081				
		pylene – 0.065 kg				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 📃				_
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-c %	onsumer recycled			
Rev. P13.5	User and	product documentation do not contain chlorine bleached paper				
P14		nal information (See Note B4)				
P1.1		uct uses RoHS exemptions for lead used in small amounts for specific applications.				
P2.1		ery contained within this product should be disposed of properly with the product. The p symbol and instructions for such disposal is listed in the product User's Guide.	roduct is properly lo	beled with	the W	'EEE
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.					
P7.2	Special p	art: Small op panel screen (less than 25g) is backpainted.				
P7.14		mount of bromine may be present in covers due to sourcing post consumer recycled con ocessing of these parts.	tent. No bromine w	vas intentio	nally d	dded
P7.20	Per IEEE	1680.2 PCR calculation.				
P9.1	Print spe	ed listed is Letter; A4 speed is 53 ppm.				
	Addition	al company information and company environmental policy may be found at http://lexi	nark.com/environm	nent		
		rinter and supply item recycling information for your area may be found at http://lexm	ark.com/recycle			
	Lexmark	Sweden is connected to REPA and El-kretsen				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19