

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	
Internet site *	www.lexmark.se / www.lexmark.com	·
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Single Function Mono Laser Printer			
Commercial name *	exmark MS710dn			
Model number *	MS710dn			
Issue date *	ssue date * December 8, 2014			
Intended market *	ed market * 🛛 🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MS710dn		
Issue date *	December 8, 2014	Logo	LEXMARK

Product	roduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MS710dn							
Issue date *		December 8, 2014	Logo	EXM	ARK		
						<u>b</u>	
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item						n.a.	
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7	Design						
		mbly, recycling					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	 Plastic materials in covers/housing have no surface coating. 						
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\square			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ē		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ē	
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square			
P7.8*		ng can be done using commonly available tools			Ħ		
P7.9.		arts are available after end of production for: 5 years				\exists	
P7.10		is available after end of production for: 5 years				\dashv	
		and substance requirements					
P7.11*		cover/housing material type:					
			type: PC/ABS				
P7.12		I cable insulation materials of power cables are PVC free.	71		\boxtimes		
P7.13		I cable insulation materials of signal cables are PVC free		— <u> </u>		H	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		<u> </u>		H	
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61	249-2-21. (See	-H-			
1 1.10	Note B2						
P7.16	/	, starded plastic parts >25g in covers / housings are marked according ISO 1043-4:		\boxtimes			
	Marking:						
P7.17	Alt. 1	l an aiffeathan a f flama actaideata is a istaid sinn it basada - OFA (sithan tanana a		_	_		
		al specifications of flame retardants in printed circuit boards >25g (without componer	its):				
	IDDPA ((additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2						
		al specifications of flame retardants in printed circuit boards (without components) >2	25g according	\bowtie			
	ISO 1043	3-4: FR(16)				_	
P7.18	Alt. 1			_]	
		etarded plastic parts >25g contain the following flame retardant substances/ rations above 0.1%:	preparations in				
		ent: No legal limits exist, this is a market requirement.					
		ical name: , CAS #:					
		ical name: , CAS #:					
		ical name: , CAS #:					
	Alt. 2						
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plactic p	FR(17), FR(16), FR(50) arts >25g are free from flame retardant substances/ preparations above 0.1% classi	ified as P45		╞		
	R40, R40	6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	neu as R45,				
P7.20		plastic parts' weight >25g, recycled material content is <i>up to 16</i> %.					
P7.21		plastic parts' weight >25g, biobased material content is %.					
P7.22		urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	ma	\boxtimes			
P8	Batterie		mg				
P8.1*		chemical composition: Lithium Manganese Dioxide, LiMnO2					
P8.2	,	meet the requirements of the following voluntary program/s:				+	
10.2	Datteries	meet the requirements of the following voluntary program/s.					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date *	Decem	per 8, 2014			Logo	LEXMARK	
Product er	nvironmental a	ttributes - Market re	quirements (con	tinued)		Requirement mo	let
Item			qui onionio (con				n.a.
P9 E	P9 Energy consumption						
9.1 F	.1 For the product the following power levels or energy consumptions are reported:						
Energy mode	e *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standa modes and test metho	0,	
Printing		770 W	743 W	742 W	Corporate Standard		
Ready 1 Mo	de	88.7 W	93.5 W	77.5 W	Energy Star I E V1.2		
Ready 2 Mode		69.5 W	70.4 W	63.6 W	Energy Star I E V1.2		
Sleep Mode		2.9 W	2.9 W	2.9 W	Energy Star I E V1.2		
Hibernate N	lode	0.47 W	0.5 W	0.51 W	IEC 62301		
Off Mode		0.1 W	0.1 W	0.1 W	IEC 62301	Ľ	
EPS No-load		W	W	W			\boxtimes
	ged in the wall sconnected from						
	gy Consumption	W	W	W			\boxtimes
TEC * Typical Ener	gy Consumption	5.5 kWh/week	5.3 kWh/week	5.1 kWh/week	Energy Star I E V1.2		
ETEC * Annual Ener	gy Consumption	kWh/year	kWh/year	kWh/yea	r		\boxtimes
Display reso	lution* : N	legapixels					\boxtimes
Print Speed	* : 50 Imag	es per minute			Corporate Standard		
Default time	to enter energy s	ave mode: 20 minutes			Energy Star I E V1.2		
P9.2* I	nformation about	the energy save function	n is provided with th	e product.			
E	ENERGY STAR®	s the energy requirement version: 1.1/1.2 Tier: 1	Product category:	Imaging Equipm			
		nergy Star Imaging Ec	quipment V2.0 / RA	L UZ 171			
-	Emissions	- Declared according to	150 0206				
		Mode description	130 9290	Declared	Declared A-weig	phted	_
		·		A-weighted	sound pressure level	L_{pAm} (dB)	
				sound power evel L_{WAd} (B)		stander positions	
					Desktop		
						y if product is not perator attended)	
1	dle	* Ready		4.7	32		
(Operation	* Simplex Monochrom Normal Mode	e Printing,	7.1	55		
(Other mode	Simplex Monochrom Quiet Mode	e Printing,	6.8	53		
ſ	Measured accord		ECMA-74		h measurement distance	e m)	
P10.2	The product meet				L _{pAm} measurement distanc program/s: RAL-UZ 122	e m) 	-

Model number * MS710dn

Model nu	mber *	MS710dn				
Issue date	e *	December 8, 2014	Logo	LEXM	RK	
	environn	nental attributes - Market requirements (continued)		Requirer		
Item				Yes	No	n.a.
Dia at		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL	- UZ-122	\square		
P10.4	Typical emission rate (print phase) is (mg/h):					
P10.5	Dust 1.1 Ozone 0.08 Styrene <0.01 Benzene 0.013 TVOC 3.1 Chemical emission requirements of the following voluntary program/s RAL-UZ 122 are met for: Image: Comparison of the following voluntary program/s RAL-UZ 122 are met for: Image: Comparison of the following voluntary program/s RAL-UZ 122 are met for:					
P10.5	0	Dust 🛛 Ozone 🖾 Styrene 🖾 Benzene 🖂				
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the fo	llowing voluntary			
P11	program	vs: hable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see P4 3)			
P11.2*		post-consumer recycled fibers can be used, provided that it meets the		of M	╞	\mathbf{H}
F11.2	EN1228		le requirements o	of 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\square		
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	ogies.			\mathbf{X}
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated weight (kg): 3.398				
		packaging material type(s): <i>Polystyrene, expanded</i> weight (kg): 0.634				
		packaging material type(s): <i>Low Density Polyethylene</i> weight (kg): 0.081 pylene – 0.065 kg				
P13.2*		plastic packaging is free from PVC.				
P13.3*		nedia for user and product documentation (tick box):				H
		ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-c	onsumer recycled	1		
Rev.	fiber: 0	% I product documentation do not contain chlorine bleached paper				
P13.5	User and	i product documentation do not contain chionne bleached paper				
P14		al information (See Note B4)				
P1.1		uct uses RoHS exemptions for lead used in small amounts for specific applications.				
P2.1		ery contained within this product should be disposed of properly with the product. The p	roduct is properly l	abeled with	the W	/EEE
	disposal s	symbol and instructions for such disposal is listed in the product User's Guide.				
P2.3	The hatte	ry contained within this product meets the exception listed. The battery is not intended	to be removed by	the custom	or	
12.5		is designed for easy removal by recyclers and service providers.		the custom	.,	
P7.2	Special p	art: Small op panel screen (less than 25g) is backpainted.				
P7.14	A small a	mount of bromine may be present in covers due to sourcing post consumer recycled con	tent No bromine y	vac intentio	nally	nddad
F7.14		ncessing of these parts.		vus intentio	nuny u	uueu
	in the pre	teessing of these parts.				
P7.20	Per IEEE	1680.2 PCR calculation.				
P9.1	Print sne	ed listed is Letter; A4 speed is 48 ppm.				
	i int spec					
	Addition	Il company information and company environmental policy may be found at http://lexi	mark.com/environn	nent		
		rinter and supply item recycling information for your area may be found at http://lexm				
	Lexmark	Sweden is connected to REPA and El-kretsen				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19