



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	David DeVore	774
e-mail address	Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 david.devore@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multi-function color laser device			
Commercial name *	Lexmark CX625ade, Lexmark CX625adhe, Lexmark XC4240			
Model number *	CX625ade, CX625adhe, XC4240			
Issue date *	June 19, 2018; Last updated on December 16th, 2019			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	CX625ade, CX625adhe, XC4240	Logo	<u>™</u>
Issue date *	June 19, 2018; Last updated on December 16th, 2019		Lexmark

Product environmental attributes - Legal requirements				met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/eu-regulations.php			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	, 🔼		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CX625ade, CX625adhe, XC4240	Logo	
Issue date *	June 19, 2018; Last updated on December 16th, 2019		Lexmark

Product environmental attributes - Market requirements (See General NOTE GN below)					
- I	Environmental conscious design	Require	t met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
D7.4*	Disassembly, recycling Date that have to be treated agreement as a saily assemble.		_		
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>		
P7.2*	Plastic materials in covers/housing have no surface coating.				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: <i>PC+ABS</i> Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	d			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	v	\boxtimes		
	halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	, <u> </u>		ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>				
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:) 			
	1. Chemical name: , CAS #: (See NOTE B4)		ш		
	2. Chemical name: , CAS #: "				
	3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR40, FR30+40				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):				
	If YES; at least one of the two alternatives below shall be answered;				
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>Up to 35</i>%. 	a			
	or b) The weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	CX625ad	e, CX625adhe, XC42	240		Logo	
Issue date	June 19, 2018; Last updated on December 16th, 2019			Lexmark			
Product environmental attributes - Market requirements (con				equirements (co	ntinued)		Requirement met
Item				-	•		Yes No n.a.
D= 0.11			ance requirements		11075 55		
P7.21*		•	aterial content is used	,	•		
	a) Of to total or	otal plastic plastic by		, the biobased plas	swered; tic material content (cal	culated as a perce	ntage of
P7.22*			ee from mercury, i.e. pecify: Number of lar		mp. ximum mercury content	per lamp: n	ng 🔲 🔲
P8	Batteries		111		(4.114		
P8.1*			mposition: Lithium N	langanese Dioxide	e (LiMnO2)		
P9			on (See NOTE B8)		or Conservation de		
P9.1		roduct the	following power level		·	T= .	
Energy mo	ode *		Power level at 100 V AC	Power level a 115 V AC	t Power level at 230 V AC	Reference/Sta modes and te	
Sleep mod STAR® Op (OM) produ	perational N	RGY Mode	W	W	W		
Standby/of ENERGY S Mode (OM	STAR Ope		W	W	W		
TEC value TEC produ	ıcts		0.6 kWh/week	0.6 kWh/week	0.6 kWh/week	Energy Star	I E V3.0
(TEC= Typ	oical Energy	У					
Printing			554 W	572 W	537 W	Corporate St	
Ready Mo	de 1		37.57 W	35.65 W	33.54 W	Energy Star	I E V3.0
Ready Mo	de 2		28.80 W	28.19 W	28.13 W	Energy Star	I E V3.0
Sleep			1.70 W	1.73 W	1.75 W	Energy Star	I E V3.0
Hibernate)		0.09 W	0.09 W	0.11 W	IEC 62301	
Off			0.09 W	0.09 W	0.11 W	IEC 62301	
External Po	ower Supp	ly Efficiend	cy Level (Internationa	I Efficiency Marking	Protocol) *:		
Print/Scan	Speed *	:	38 images per minut	е		ISO 24734	
Default tim	ne to enter	energy sav	ve mode: 15 minutes			Energy Star	I E V3.0
P9.2*							
P10							
			Declared according to	ISO 9296 (See NO	OTE B9)		
P10.1	Mode	M	ode description		Statistical upper limit A $L_{WA,c}$ (B)	\-weighted sound բ	ower level,
			ldle / Ready		*3.1		
	Operation		Duplex Monochrom		* 6.7		
	Other mo	1	Simple Monochrom		6.8		
	Measured	d according	g to: ISO 7779		d by FOMA 74)		
	Other (only if not covered by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	CX625ade, CX625adhe, XC4240 Logo	l v		■ TM	
Issue date *		June 19, 2018; Last updated on December 16th, 2019	Lex	mai	ſK	
Product	t environ	mental attributes - Market requirements (continued)	Require	ment	met	
Item			Yes	No	n.a.	
		cal emissions from printing products (See NOTE B10)				
P10.2*	Electro	erformed according to ECMA-328 Determination of Chemical Emission Rates from nic Equipment (ISO/IEC 28360), other specify: RAL-UZ 205				
P10.3	Typical	emission rate (operation phase) is (mg/h):				
	Electro TVOC	photographic devices: Ozone <0.29 (LOQ) Dust <0.22 (LOQ) Styrene 0.199 Benzene <0.012 7.330	(LOQ)			
	Ink dev	ices: Dust Styrene Benzene TVOC				
	Note: c	ompliance with maximum emission rates in eco labels to be declared in P14.				
P11	Consu	mable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper EN 122	containing post-consumer recycled fibers can be used, provided that it meets the requirements (81.	of 🔀			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.	\boxtimes			
P11.4*	The product is delivered to end-user with default auto-duplex enabled.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated weight (kg): 3.219 Product packaging material type(s): Plastic - HDPE weight (kg): 0.10 Product packaging material type(s): Expanded Poylstyrene weight (kg): 0.70 Other 0.11 kg					
P13.2*	Produc	t plastic primary packaging is free from PVC.	\boxtimes			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: Recycled content >25% %					
P13.4*		media for user and product documentation (tick box): nic 🔲, Paper 📐, Other 🗌				
P13.5	Ùser ar	e only complete this item if paper documentation used) nd product documentation on paper media is chlorine-free: please specify:				
	Totally chlorine-free Elemental chlorine-free					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

The product meets the requirements of the following voluntary program(s):

Criteria version:

P10.3 - CX622ade model used in emissions testing for this family

Criteria version: 3.0___Date: Dec. 2018

the customer; however, is designed for easy removal by recyclers and service providers.

Criteria version: RAL-UZ 205 Date: Jan. 2017

Date:

P2.1 - The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide P2.3 - The battery contained within this product meets the exception listed. The battery is not intended to be removed by

P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when

P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Processed chlorine-free

Voluntary programs:

Eco-label: Blue Angel

Additional information (See NOTE B11)

intentionally added in the processing of these parts.

P7.20 - Per IEEE 1680.2 PCR calculation

ENERGY STAR®

Eco-label:

they are >25g

P14

P15

P14.1

Product category: Imaging Equipment

printing functionProduct category:

Product category: Office Equipment with

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1