



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	David DeVore Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 david.devore@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Single-function monochrome laser device			
Commercial name *	Lexmark B2546dw, Lexmark M1246, Lexmark MS521dn			
Model number *	MS521dn, B2546dw, M1246			
Issue date *	April 17, 2018; Revised December 16th, 2019			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MS521dn, B2546dw, M1246	Logo	
Issue date *	April 17, 2018; Revised December 16th, 2019		Lexmark

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$			
	REACH Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550		ш	Ш	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\square$	$\overline{}$		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		ш	Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):  http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	$\boxtimes$			
	Required information is; given in item P15 or added to this document,				
P4	available at (add URL): <a href="https://csr.lexmark.com/eu-regulations.php">https://csr.lexmark.com/eu-regulations.php</a> Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		Ħ	$\overline{}$	
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.		<u>Ц</u>		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	, 2			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀			
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MS521dn, B2546dw, M1246	Logo	[™
Issue date *	April 17, 2018; Revised December 16th, 2019		Lexmark

	t environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	100	110	ii.a.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		П	
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\boxtimes}$	$\sqcap$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		币	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	一百一
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\square$	$\Box$	
P7.8*	Upgrading can be done using commonly available tools		币	
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			一百
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>PC+ABS</i> Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	, <u> </u>	$\boxtimes$	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR40, FR30+40			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):  If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>Up to 40</i> %.  or  b) The weight of recycled material is g.	i i		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date					Logo	Lexi	ma	rk	
							2 2 2		
Product of	Product environmental attributes - Market requirements (continued) Requirement m						met		
Item							Yes	No	n.a.
D7.04*			ance requirements (		NOTE DZ			57	
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):						Ш		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is								
	or b) The	weight of t	the biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. lo pecify: Number of lam		np. kimum mercury content per	r lamp: mg			
P8	Batteries	1							
P8.1*	Battery ch	nemical co	mposition: Lithium Ma	anganese Dioxide	(LiMnO2)				
P9	Energy c	onsumpti	on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		nergy	
Sleep mod STAR® Op (OM) produ	perational N		W	W	W				
Standby/of ENERGY S Mode (OM	f mode for STAR Ope		W	W	W				
TEC value	ıcts		0.58 kWh/week	0.58 kWh/week	0.60 kWh/week	Energy Star I E V3.0	)		
(TEC= Typ	oical Energy	у	500 \\	570 \\	504104	0			
Printing			582 W	576 W	564 W	Corporate Standard			<u> </u>
Ready Mo			N/A	N/A	N/A	Energy Star I E V3.0			Ц
Ready Mo	de 2		7.59 W	<b>7.60</b> W	7.65 W	Energy Star I E V3.0			
Sleep			1.27 W	1.28 W	1.31 W	Energy Star I E V3.0	)		
Hibernate			0.09 W	0.09 W	0.10 W	IEC 62301			
Off			0.09 W	0.09 W	0.10 W	IEC 62301			
External Po	ower Supp	ly Efficiend	cy Level (International	Efficiency Marking	Protocol) *:				$\boxtimes$
Print/Scan	Speed *	:	44 images per minute			ISO 24734			
Default tim	e to enter	energy sav	ve mode: 15 minutes			Energy Star I E V3.0	0		
P9.2*	Information	on about th	ne energy save functio	n is provided with t	he product.	•			
P10 Emissions									
5.0.1			Declared according to	ISO 9296 (See NC					
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)								
	Idle		Idle / Ready		*3.1				
	Operation		Duplex Monochrome	_	* 7.0				
	Other mo		Simple Monochrome	•	6.9				
	Measured	d according	g to: ISO 7779		1 by FCMA 74)				
	l .		Other	(only if not covered	Dy ECIVIA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	mber *	MS521dn, B2546d	w. M1246			Logo			
Issue date	date * April 17, 2018; Revised December 16th, 2019				ma	rk			
Product	environ	mental attributes	- Market requirements (c	ontinued)			Require	ment	met
Item							Yes	No	n.a.
	Chemic	al emissions from	printing products (See NOTE	E B10)					
P10.2*		rformed according to nic Equipment (ISO/II	ECMA-328 Determination of (28360) , other specify:		sion Rates from	1		Ш	Ш
P10.3			tion phase) is (mg/h):						
	Electrophotographic devices: Ozone <0.26 (LOQ) Dust 1.18 Styrene 0.110 Benzene <0.012 (LOQ)  TVOC 5.805								
	Ink devices: Dust Styrene Benzene TVOC								
	Note: co	ompliance with maxin	num emission rates in eco lab	els to be declai	red in P14.				
P11	Consu	nable materials for	printing products						
P11.1*			s available for the ink/toner pro	eparation, ever	n if not legally re	quired (see P4.3	3).		
P11.2*	Paper of EN 122		umer recycled fibers can be	used, provide	d that it meets	the requiremen	nts of 🔀		
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated product f	unction.			$\boxtimes$		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-dupl	ex enabled.					
P13		ing and documenta							
P13.1*	Product packaging material type(s): Corrugated weight (kg): 1.41  Product packaging material type(s): Plastic - HDPE weight (kg): 0.09  Product packaging material type(s): Expanded PoyIstyrene weight (kg): 0.29  Other 0.02 kg								
P13.2*	Product	plastic primary pack	aging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: Recycled content >25% %								
P13.4*		media for user and phic $\boxtimes$ , Paper $\boxtimes$ , O	product documentation (tick bo ther	x):					
P13.5	Ùser ar		em if paper documentation us ation on paper media is chlorir				$\boxtimes$		
	Totally	chlorine-free							
	Elemen	tal chlorine-free							
	Process	sed chlorine-free							
P14		ary programs:							
P14.1			rements of the following volun	tary program(s					
		iY STAR® el: <i>Blue Angel</i>	Criteria version: 3.0 Date Criteria version: RAL-UZ 20	e: <b>Dec. 2018</b> 5 Date: <b>Jan.</b>	<b>2017</b> Produc	ct category: <i>Ima</i> ct category: <i>Offici</i> og function	ging Equipm ce Equipmen	ent t with	
	Eco-lab	el:	Criteria version:	Date:		ct category:			
P15		nal information (Se							
	proper P2.3 - 1	ly labeled with the V The battery containe	ed within this product should NEEE disposal symbol and i ed within this product meets designed for easy removal l	instructions for the exception	or such disposa I listed. The ba	al is listed in the attery is not inte	e product Us	er's Gu	
	<b>P5.2</b> - 7	The packaging maten	ials are marked with abbreviat	ions and numb	ers indicating th	ne nature of the i	material(s) use	ed whe	n
	they are >25g								
	P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was						/as		
	intentionally added in the processing of these parts.								
	P7.20 -	Per IEEE 1680.2 PC	CR calculation						

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1