



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	David Devore Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 David.devore@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Multi-function monochrome laser device
Commercial name *	Lexmark MX826ade, Lexmark MX826adxe, Lexmark XM7370, Lexmark MX826adtfe
Model number *	MX826ade, MX826adxe, XM7370, MX826adtfe
Issue date *	June 19, 2018; Updated on December 5, 2019
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5

Model number *	MX826ade, MX826adxe, XM7370, MX826adtfe	Logo	
Issue date *	June 19, 2018; Updated on December 5, 2019		Lexmark Lexmark

	environmental attributes - Legal requirements	Require		t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	$\overline{}$	
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes		
	(see legal reference).			_
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager, H0D9237, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	\boxtimes		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional			\boxtimes
	user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-			
D2 0*	Conformity.html		$\overline{}$	_
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,	\boxtimes		
	and the contract of the contra		ш	ш
	available at (add URL): https://csr.lexmark.com/eu-regulations.php			
P4	Consumable materials		_	_
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\boxtimes		
P4.2*	than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
F4.2	legal reference)		Ш	Ш
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	X		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	\boxtimes		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
-	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MX826ade, MX826adxe, XM7370, MX826adtfe	Logo	
Issue date *	June 19, 2018; Updated on December 5, 2019		Lexmark Lexmark

Product	t environmental attributes - Market requirements (See General Note GN below)			
-	Environmental conscious design	Require	ment i	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes N	lo n.a.	
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.		Щ	Щ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
D7.47	Marking: FR40			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	o. Gromour hame. , or to m.	\bowtie		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16,			
D7.40	FR17, FR40, FR30+40			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		Ш	
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
	, , , , , , , , , , , , , , , , , , , ,			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	MX826ade, MX826adxe, XM7370, MX826adtfe	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		Lexmark

Product	environmental att	ributes - Market re	quirements (contir	nued)	R	equire	ment	met
Item						Yes	No	n.a.
		ance requirements (f			N 1		
P7.20*	,	•	ontent is used in the pr	,	:		Ш	Ш
	a) Of total plastic	parts' weight > 25 g, t	below shall be answe he postconsumer recy	,	ontent (calculated as a			
	or	total plastic by weight)	•					
P7.21*		recycled material is	g. in the product (See NO	TE D7\.		$\overline{}$	<u> </u>	_
P1.21						Ш	M	Ш
	,	parts' weight > 25 g,	s below shall be answe the biobased plastic m	,	ated as a percentage of			
	or	the biobased plastic m	aterial is g.					
P7.22*	Light sources are fre		ess than 0,1 mg/lamp.	um mercury content pe	er lamp: mg			
P7.23*	If product includes a	an integral display, the	total mercury content					
P8	Batteries							
P8.1*	Battery chemical co	mposition: Lithium Ma	anganese Dioxide (Li	MnO2)				
P9	Energy consumpti							
P9.1	For the product the	following power levels	or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test metho		nergy	
	le for ENERGY perational Mode ucts	W	W	W				
Standby/of	f mode for STAR Operational	W	W	W				
TEC produ	for ENERGY STAR lots (TEC= Typical nsumption)	1.19 kWh/week	1.19 kWh/week	1.21 kWh/week	Energy Star IE v3.0			
Printing		829 W	828 W	783 W	Corporate Standard			
Ready Mo		46 W	43 W	49 W	Energy Star IE v3.0			
Ready Mo	de 2	31 W	34 W	34 W	Energy Star IE v3.0			
Sleep		2.85 W	2.94 W	2.80 W	Energy Star IE v3.0			
Hibernate		0.17 W	0.17 W	0.17 W	IEC 62301			
Off		0.17 W	0.17 W	0.17 W	IEC 62301			
		` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	Efficiency Marking Pro	otocol) * :				
Print/Scan	Speed * :	66 images per minute			ISO 24734			
	e to enter energy sav				Energy Star IE v3.0			
P9.2*	intormation about th	e energy save functio	n is provided with the p	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MX826ade, MX826adxe, XM7370, MX826adtfe	Logo	
Issue date *	June 19, 2018; Updated on December 5, 2019		L exmark

Product	environmental	attributes	- Market require	ments (co	ntinued)				Require	ment	met
Item									Yes	No	n.a.
P10	Emissions										
			according to ISO 92	296 (See No							
P10.1	Mode	Mode desc	ription		Statistical up	oper limi	t A-weigh	ted sound pow	er level,		
	Idle	* Idle/Read	dy		* 3.2						
	Operation	* Duplex I	Ionochrome Printi	ng	* 7.2						
	Other mode	Simplex	Monochrome Prin	ting	7.2						
	Measured accord	ding to: 🔀 I	SO 7779 X ECMA		(only if not co	vered by	, Ε <u></u> ΜΔ_7	4)			
	Chemical emiss	sions from I	printing products (vered by	LCIVIA-1	+)			
P10.2*	Test performed a	according to	ECMA-328 Determi	nation of C	hemical Emis	sion Rat	es from E	lectronic			$\overline{}$
	•	-	, other specify: L								
P10.3			ion phase) is (mg/h								
	Electrophotograp	phic devices	Ozone <0.23 Dus	st 1.33 St	yrene <i>0.059</i>	Benzer	ne <0.012	(LOQ) TVOC			
	Ink devices:		Du	st	Styrene	Ben	zene	TVOC			Ш
	NOTE: complian	ce with max	mum emission rate	s in eco lab	els to be decla	ared in F	P14.				
P11	Consumable ma	aterials for	printing products								
P11.1*	A Safety Data Sh	heet (SDS) i	s available for the in	k/toner pre	paration, ever	if not le	gally requ	uired (see P4.3).		
P11.2*	Paper containing EN 12281.	g post-consu	mer recycled fibers	can be use	d, provided th	at it me	ets the red	quirements of			
P11.3*	2-sided (duplex)	printing/cop	ying is an integrated	product fu	nction.				\square		П
P11.4*	The product is de	elivered to e	nd-user with default	auto-duple	x enabled.				X	Ī	T
P13	Packaging and	documenta	tion								
P13.1*	Product packagir Product packagir Wood 6.658 kg Other 1.349 kg	ng material t ng material t	ype(s): Corrugated ype(s): Plastic - HD ype(s): Paperboard	OPE Weight (k	weight (kg):	0.941					
P13.2*			aging is free from P								
P13.3*	consumer recove	ered fiber co		content >	25 %	ed perce	entage of	minimum post-			
P13.4*	Specify media fo Electronic , P	or user and poper and poper of the contract of	roduct documentation	on (tick box):						
P13.5		ct documenta	em if paper docume ation on paper media								
	Totally chlorine-f Elemental chlorin Processed chlori	ne-free									
P14	Voluntary progr	rams:									
P14.1			ements of the follow	ving volunta	ary program(s):					
	ENERGY STARGECO-label: Blue		Criteria version: 3. Criteria version: D		Date: Dec Date: Jan 2		Product	category: Imag category: Office function			
	Eco-label:		Criteria version:		Date:			category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MX826ade, MX826adxe, XM7370, MX826adtfe	Logo	
Issue date *	June 19, 2018; Updated on December 5, 2019		Lexmark Lexmark

Produ	ct environmental attributes - Market requirements (concluded) Requirement me
P15	Additional information (See NOTE B11)
	P2.3 - The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers. P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts. P7.20 - Per IEEE 1680.2 PCR calculation
	P10.3 - Emission for this product family measured on MX826ade

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP	P4.3, P7.19
Regulation)	
Regulation) Directive 2004/12/EC (Packaging Directive)	P5.1

P6.1