

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	David Devore Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 David.devore@lexmark.com	🚺 Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statem	conforms to the statements given in this declaration.				
Type of product *	Single-function monochrome laser device				
Commercial name *	Lexmark MS825dn, Lexmark MS826de, Lexmark M5270				
Model number *	MS825dn, MS826de, M5270				
Issue date *	June 19, 2018 (updated December 5, 2019)				
Intended market *	🛛 🖾 Global 🔄 Europe 🔄 Asia, Pacific & Japan 🔛 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MS825dn, MS826de, M5270	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		💽 Lexmark

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
	terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$		
D.L. at	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			_
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>2</sup> /week	$\bowtie$		
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
1 1.7	REACH Program Manager, H0D9237, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			$\boxtimes$
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	$\boxtimes$		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional		Ħ	M
	user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-			
P3.2*	conformity.html The product complies with the Eco design Requirements for Energy-Related Products,	$\boxtimes$		
1 0.2	(see legal reference).			
	Required information is; given in item P15 or added to this document,	$\square$		
	available at (add URL): <i>lexmark.com/regulatory</i>		-	_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	$\square$		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	$\boxtimes$		
P4.3*	legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\square$		
14.5	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	$\boxtimes$		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s			
1 0.2	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$		
	Protocol (see legal reference).	لالسع		_
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information	<u> </u>		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$		

5

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MS825dn, MS826de, M5270	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		📡 Lexmark

	Environmental conscious design	Requirement met			
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
77	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable			-	
P7.2*	Plastic materials in covers/housing have no surface coating.			╡──	╘
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		_ <del> </del>	╡──	╞
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╡──	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		_ <del>_</del> _	╡──	╞
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				╞
7.0	Product lifetime			<u> </u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			-	
⊃7.8 <b>*</b>	Upgrading can be done using commonly available tools		_ <del>_</del> _	╡──	$\vdash$
P7.9.	Spare parts are available after end of production for: 5 years			<u> </u>	╞
P7.10	Service is available after end of production for: 5 years				╞
7.10	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: ABS Material type: PC+ABS Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.			1	
P7.13	Insulation materials of internal electrical cables are PVC free.			1	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		$\geq$	3	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR40</i>	$\square$		]	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			]	
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>	$\square$		]	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:         1. Chemical name:       , CAS #:         2. Chemical name:       , CAS #:         3. Chemical name:       , CAS #:			ן	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR16,</i> <i>FR17, FR40, FR30+40</i>			]	
97.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			]	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	environmental att	ributes - Market r	equirements (conti	nued)	R	equire		met
Item						Yes	No	n.a.
		ance requirements						
P7.20*	Postconsumer recyc	cled plastic material o	content is used in the p	roduct (See NOTE B6)	):	$\boxtimes$		Ш
			es below shall be answ					
		parts' weight > 25 g, total plastic by weigh		ycled plastic material c	ontent (calculated as a			
	or	total plastic by weight	() is <b>up to 00</b> %.					
		recycled material is	g.					
P7.21*	Biobased plastic ma	aterial content is used	d in the product (See N	OTE B7):			$\boxtimes$	
	If YES: at least one	of the two alternative	es below shall be answ	ered:				
	a) Of total plastic	parts' weight > 25 g			lated as a percentage of			
	total plastic by	weight) is %.						
	or b) The weight of t	the biobased plastic r	material is g.					
P7.22*	Light sources are fre	ee from mercury, i.e.	less than 0,1 mg/lamp			$\mathbf{X}$		
	If mercury is used s	pecify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg			
P7.23*	If product includes a	an integral display, th	e total mercury content	t in the integrated displ	ay: <mark>0</mark> mg	$\boxtimes$		
P8	Batteries							
P8.1*	•	•	Manganese Dioxide (L	.iMnO2)				
P9	Energy consumpti							
P9.1	For the product the	following power level	ls or energy consumption	ons are reported:				
Energy mo	ode *	Power level at	Power level at	Power level at			nergy	
		100 V AC	115 V AC	230 V AC	modes and test method	* t		
	de for ENERGY	W	W	W				$\boxtimes$
(OM) prod	perational Mode							
	off mode for	W	W	W				$\boxtimes$
	STAR Operational							
	1) products e for ENERGY STAR	0.95 kWh/week	0.92 kWh/week	0.95 kWh/week	Energy Star IE v3.0			
	ucts (TEC= Typical	0.95 KWN/week	0.92 KVVII/week	0.95 KWII/WEEK	Energy Star IE V3.0			
	onsumption)							
Printing		788 W	<b>793</b> W	764 W	Corporate Standard			
Ready Mo	ode 1	25.95 W	35.01 W	37.73 W	Energy Star IE v3.0			
Ready Mo	ode 2	18.39 W	20.53 W	<b>20.16</b> W	Energy Star IE v3.0			
Sleep		1.33 W	1.36 W	1.38 W	Energy Star IE v3.0			
Hibernate	)	0.10 W	0.12 W	0.15 W	IEC 62301			
Off		0.10 W	0.13 W	0.15 W	IEC 62301			
External P	ower Supply Efficience	y Level (Internationa	I Efficiency Marking Pr	otocol) * :				$\square$
Print/Scar	n Speed * :	52 images per minut	e		ISO 24734			
Default tin	ne to enter energy sav	/e mode: 15 minutes			Energy Star IE v3.0			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MS825dn, MS826de, M5270	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		🚺 Lexmark

Produc	t environmental a	attributes - Market require	ements (cont	inued)		Require	ment	met
Item						Yes	No	n.a.
P10	Emissions							
		<ul> <li>Declared according to ISO 9</li> </ul>						
P10.1	Mode	Mode description		tatistical upper lin <sub>wa,c</sub> (B)	nit A-weighted sound power	level,		
	Idle	* Idle/Ready	*	3.2				
	Operation	* Duplex Monochrome Print	ting *	7.3				
	Other mode	Simplex Monochrome Prin	nting	7.3				
			othe <b>r</b> (on	ly if not covered b	by ECMA-74)			
		ions from printing products						
P10.2*		ccording to ECMA-328 Determ		nical Emission Ra	ates from Electronic	$\boxtimes$		
P10.3		EC 28360) , other specify:						
P10.3	Typical emission	rate (operation phase) is (mg/h	n):					Ш
	Electrophotograp TVOC <u>4.238</u>	hic devices: Ozone 0.21 Dust	t <0.22 (LOQ)	Styrene 0.081	Benzene <0.012 (LOQ)			
	Ink devices:	Du	ust St	yrene Be	nzene TVOC			
	NOTE: compliance	e with maximum emission rate	es in eco labels	to be declared in	P14.			
P11	Consumable ma	terials for printing products						
P11.1*	A Safety Data Sh	eet (SDS) is available for the i	nk/toner prepar	ation, even if not	legally required (see P4.3).	$\square$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.							
P11.3*	2-sided (duplex)	printing/copying is an integrate	d product funct	ion.		$\boxtimes$		
P11.4*	The product is de	livered to end-user with defaul	lt auto-duplex e	nabled.		$\boxtimes$		
P13	Packaging and o	locumentation						
P13.1*	Product packagin	g material type(s): Corrugated g material type(s): Plastic - Hi g material type(s): Expanded	DPE w	<b>3.33</b> reight (kg): <b>0.02</b> weight (k	(g): <b>0.68</b>			
P13.2*		imary packaging is free from P	PVC.			$\boxtimes$		
P13.3*	For product prima consumer recove	ary corrugated fiberboard packa red fiber content: <b>Recycle</b>	aging, specify t d content >25	he contained pero	centage of minimum post-			
P13.4*		user and product documentat						
P13.5	(Please only com	plete this item if paper docume documentation on paper med		ee:		$\boxtimes$		
	Totally chlorine-fr	ee				$\boxtimes$		
	Elemental chlorin	e-free				n n		
	Processed chlorir	ne-free				П		
P14	Voluntary progra	ams:						
P14.1		ts the requirements of the follo	wing voluntary	program(s):				
	ENERGY STAR® Eco-label: <b>Blue A</b>			Date: <b>Dec 2018</b> Date: <b>Jan 2017</b>	Product category: Imagin Product category: Office			
	Eco-label:	Criteria version:		Date:	<i>printing function</i> Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MS825dn, MS826de, M5270	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		🚺 Lexmark

Produc	Product environmental attributes - Market requirements (concluded) Requirement met				
P15	Additional information (See NOTE B11)				
	<ul> <li>P2.3 - The battery contained within this product meets the exception listed. The battery is not intended the customer; however, is designed for easy removal by recyclers and service providers.</li> <li>P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the when they are &gt;25q</li> </ul>	· · · · · · · · · · · · · · · · · · ·			
	P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled o bromine was intentionally added in the processing of these parts. P7.20 - Per IEEE 1680.2 PCR calculation	content. No			

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
	1 0.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	