



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	David Devore Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 David.devore@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Single-function color laser device
Commercial name *	Lexmark CS622de, Lexmark C2240
Model number *	CS622de, C2240
Issue date *	June 19, 2018 (updated December 5, 2019)
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5

Model number *	CS622de, C2240	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		Lexmark

Product	environmental attributes - Legal requirements F	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes	П	
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$	
1 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes	П	
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes	П	
	(see legal reference).			_
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	Ш	
	REACH Program Manager, H0D9237, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)		_	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes	Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	$\overline{}$	$\overline{}$
	, , ,		井	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		<u> </u>	<u>Ш</u>
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	Ш	Ш	\boxtimes
Da	user", the related text is present and legible on the external packaging (see legal reference)			
P3 P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		$\overline{}$	
F J. I	The Declaration of Conformity can be requested at (add link or e-mail address):		Ш	
	http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-			
	conformity.html			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).			_
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): lexmark.com/regulatory			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\boxtimes		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
D4.0*	legal reference)		_	$\overline{}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to		Ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
P6	Comment: Legal reference has no maximum concentration values. Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
1 0.1	monthation for recycles, a caution tracinities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CS622de, C2240	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		Lexmark Lexmark

	t environmental attributes - Market requirements (See General Note GN below)		
	Environmental conscious design		ement met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes N	lo n.a.
P7	Design Disassembly, recycling		
P7.1*	Parts that have to be treated separately are easily separable		
P7.2*	Plastic materials in covers/housing have no surface coating.		H
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u> </u>
P7.3	· · · · · · · · · · · · · · · · · · ·		
	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		
D7 7*	Product lifetime		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u> </u>
P7.8*	Upgrading can be done using commonly available tools	\boxtimes	
P7.9.	Spare parts are available after end of production for: 5 years		
P7.10	Service is available after end of production for: 5 years		
	Material and substance requirements		
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):		
P7.12	Material type: <i>PC+ABS</i> Material type: <i>PC+ABS</i> Material type: Insulation materials of external electrical cables are PVC free.		
P7.12	Insulation materials of external electrical cables are PVC free.		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	\boxtimes	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts		
	containing more than 25% post-consumer recycled content.		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		
	halogen as defined in IEC 61249-2-21. (See NOTE B2)		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes	
P7.17	Marking: FR40 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		
1 7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:, CAS #:		
	(Coc NOTE BO), Other, Shermour Haine.		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes	
D7.40	according ISO 1043-4: <i>FR16</i> Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:		
	1. Chemical name: , CAS #: (See NOTE B4)	Ш	
	2. Chemical name: , CAS #: "		
	3. Chemical name: , CAS #: "		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16,	\boxtimes	
	FR17, FR40, FR30+40		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		
	assigned the following Risk phrases; and Hazard statements:		
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		
Model nui	mber * CS622de, C2240 Logo		

Model number *	CS622de, C2240	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		Lexmark

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Product	environmental att	ributes - Market r	equirements (conti	nued)		Require	ment	met
Item						Yes	No	n.a.
		ance requirements						
P7.20*	Postconsumer recyc	cled plastic material o	content is used in the p	roduct (See NOTE B6)) :			
			es below shall be answer		ontent (calculated as a			
		total plastic by weigh		ycieu piastic materiai c	onteni (calculated as a			
	or							
P7.21*		ecycled material is	g. I in the product (See N	OTE B7)·			\square	$\overline{}$
						Ш		ш
		parts' weight > 25 g	es below shall be answe the biobased plastic r		lated as a percentage c	f		
	or							
P7.22*		he biobased plastic r	naterial is g. less than 0,1 mg/lamp.				$\overline{}$	
		pecify: Number of lar		um mercury content pe	er lamp: mg		ш	ш
P7.23*	If product includes a	an integral display, th	e total mercury content	in the integrated displ	ay: 0 mg	X		
P8	Batteries							
P8.1*	-		langanese Dioxide (L	iMnO2)				
P9	Energy consumpti	•						
P9.1	For the product the	following power level	s or energy consumption	ons are reported:				
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		energy	
	de for ENERGY Operational Mode	W	W	W				
Standby/c ENERGY	off mode for STAR Operational M) products	W	W	W				
	e for ENERGY STAR	0.57 kWh/week	0.55 kWh/week	0.55 kWh/week	Energy Star IE v3.0			
	lucts (TEC= Typical onsumption)				3, 44			
Printing		556 W	545 W	527 W	Corporate Standard	!		
Ready Me	ode 1	17.52 W	17.35 W	29.37 W	Energy Star IE v3.0			
Ready Me	ode 2	20.97 W	20.83 W	22.15 W	Energy Star IE v3.0			
Sleep		1.40 W	1.41 W	1.42 W	Energy Star IE v3.0			
Hibernate	е	0.08 W	0.09 W	0.09 W	IEC 62301			
Off		0.08 W	0.09 W	0.09 W	IEC 62301			
External F	Power Supply Efficiend	y Level (Internationa	l Efficiency Marking Pr	otocol) * :				\boxtimes
Print/Scar	n Speed * :	38 images per minut	е		ISO 24734			
Default tir	me to enter energy sav	ve mode: 15 minutes			Energy Star IE v3.0			
P9.2*	Information about th	e energy save functi	on is provided with the	product.	•	\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS622de, C2240	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		Lexmark

Product	environmental	attributes - N	Market requirements (co	ntinued)		Require	ment	met
Item						Yes	No	n.a.
P10	Emissions							
	Noise emission	- Declared ac	cording to ISO 9296 (See NO	OTE B9)				
P10.1	Mode	Mode descrip	tion	Statistical upper lim	nit A-weighted sound power	level,		
	Idle	* Idle/Ready		* 3.1				
	Operation	* Duplex Moi	nochrome Printing	* 6.5				
	Other mode	Simplex Mo	onochrome Printing	6.6				
	Measured accord	ding to: X ISC	O 7779 ECMA-74 Other	(only if not covered b	Dy ECMA-74)			
	Chemical emiss	sions from pri	nting products (See NOTE	B10)				
P10.2*	Test performed a	according to EC	CMA-328 Determination of Cl , other specify: <i>DE-UZ 205</i>	hemical Emission Ra	ites from Electronic	\boxtimes		
P10.3			n phase) is (mg/h):					
	Electrophotograp (LOQ) TVOC 7.3		ozone <0.29 (LOQ) Dust <0.	, , ,	e 0.199 Benzene <0.012 nzene TVOC			
		ess with maxim		,				
P11	Consumable ma		um emission rates in eco lab	els to de declared in	P14.			
P11.1*			vailable for the ink/toner pre	paration even if not l	legally required (see P4.3)			
P11.2*		, ,	er recycled fibers can be use		• • • •			
P11.3*		printing/copyin	g is an integrated product fu	nction		\square		\neg
P11.4*			-user with default auto-duple				+	+
P13	Packaging and		•					
P13.1*	Product packagir Product packagir Product packagir Expanded Polye Other 0.03 kg	ng material typong material typong material typong material typong the lyne 0.22k	e(s): Corrugated weight (k e(s): Plastic - HDPE e(s): Expanded Polystyrend g	weight (kg): 0.10	:g): 0.23			
P13.2*	Product plastic p	orimary packagi	ing is free from PVC.			\boxtimes		
P13.3*	consumer recove	ered fiber conte		25 %	entage of minimum post-			
P13.4*	Electronic 🔀, P	Paper 🔀, Othe						
P13.5		ct documentatio	if paper documentation used on on paper media is chlorine					,
	Totally chlorine-fi Elemental chlorir Processed chlori	ne-free						
P14	Voluntary progr							
P14.1	The product mee	ets the requiren	nents of the following volunta	ary program(s):				
	ENERGY STAR© Eco-label: <i>Blue</i>		Criteria version: 3.0 Criteria version: DE-UZ 205	Date: Dec 2018 Date: Jan 2017	Product category: <i>Imagir</i> Product category: <i>Office</i> printing function			
Ì	Eco Johol:		ritoria vargion:	Date:	Product category:			Į.

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS622de, C2240	Logo	
Issue date *	June 19, 2018 (updated December 5, 2019)		Lexmark

Produ	ct environmental attributes - Market requirements (concluded) Requirement m
P15	Additional information (See NOTE B11)
	P2.3 - The battery contained within this product meets the exception listed. The battery is not intended to be removed the customer; however, is designed for easy removal by recyclers and service providers. P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) use when they are >25g P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts. P7.20 - Per IEEE 1680.2 PCR calculation
	P10.3 - CX622ade model used in emissions testing for this family

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
	P5.1
Directive 2004/12/EC (Packaging Directive)	F3.1

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment	
(WEEE) generated by weight in each Member State.	