


# THE ECO DECLARATION



## Annex B1 - Product environmental attributes Imaging equipment


The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

|   |   |   |
|---|---|---|
| Brand *                                 | <a href="#">Lexmark</a>   | Logo<br> |
| Company name *                          | <a href="#">Lexmark International, Inc.</a>   |   |
| Contact information *<br>e-mail address | <a href="#">David Devore</a><br><a href="#">Lexmark International</a><br>740 West New Circle Road, Bldg. 1<br>Lexington, KY 40550<br><a href="mailto:David.devore@lexmark.com">David.devore@lexmark.com</a> |   |
| Internet site *                         | <a href="http://www.lexmark.com/TED">www.lexmark.com/TED</a> and <a href="http://csr.lexmark.com">csr.lexmark.com</a>   |   |
| Additional information                  |   |   |

|   |  |
|---|--|
| <b>The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.</b> |  |
| Type of product *   | <a href="#">Multi-function color laser device</a>  |
| Commercial name *   | <a href="#">Lexmark CX860de, Lexmark CX860dte, Lexmark CX860dtfe, Lexmark XC8160</a>   |
| Model number *  | <a href="#">CX860de, CX860dte, CX860dtfe, XC8160</a>   |
| Issue date *  | <a href="#">January 25, 2016 (updated February 7, 2020)</a>  |
| Intended market *   | <input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other |
| Additional information  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

**About Annex B1**  
 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:  
 P9.1 PTEC, ETEC and display resolution  
 P12.1-P12.2 Ergonomic requirements.

|                       |  |             |   |
|-----------------------|--|-------------|---|
| <b>Model number *</b> | <i>CX860de, CX860dte, CX860dtfe, XC8160</i>        | <b>Logo</b> |  |
| <b>Issue date *</b>   | <i>January 25, 2016 (updated February 7, 2020)</i> |             |   |

| <b>Product environmental attributes - Legal requirements</b> |   | <b>Requirement met</b>              |                          |                                     |
|--|---|-------------------------------------|--------------------------|-------------------------------------|
| Item   |   | Yes                                 | No                       | n.a.                                |
| <b>P1</b>  | <b>Hazardous substances and preparations</b>  |                                     |                          |                                     |
| P1.1*  | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.2*  | Products do not contain Asbestos (see legal reference).<br>Comment: Legal reference has no maximum concentration value.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.3*  | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.4*  | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.5*  | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.6*  | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>2</sup> /week (see legal reference).<br>Comment: Max limit in legal reference when tested according to EN1811:2011-5.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P1.7*  | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br><b><i>REACH Program Manager, H0D9237, 740 West New Circle Rd., Lexington, KY 40550</i></b>  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P2</b>  | <b>Batteries</b>  |                                     |                          |                                     |
| P2.1*  | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P2.2*  | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P2.3*  | Batteries and accumulators are readily removable. (See legal reference)   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P2.4*  | Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P2.5*  | When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)   | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| <b>P3</b>  | <b>Conformity verification &amp; Eco design (ErP)</b>   |                                     |                          |                                     |
| P3.1*  | The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):<br><b><i><a href="http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html">http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html</a></i></b> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P3.2*  | The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).<br>Required information is; <input type="checkbox"/> given in item P15 or added to this document,<br><input checked="" type="checkbox"/> available at (add URL): <b><i><a href="http://lexmark.com/regulatory">lexmark.com/regulatory</a></i></b>   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P4</b>  | <b>Consumable materials</b>   |                                     |                          |                                     |
| P4.1*  | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P4.2*  | If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P4.3*  | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P5</b>  | <b>Product packaging</b>  |                                     |                          |                                     |
| P5.1*  | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P5.2*  | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P5.3*  | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).<br>Comment: Legal reference has no maximum concentration values.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P6</b>  | <b>Treatment information</b>  |                                     |                          |                                     |
| P6.1*  | Information for recyclers/treatment facilities is available (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

|                |   |      |  |
|----------------|---|------|--|
| Model number * | <a href="#">CX860de, CX860dte, CX860dtfe, XC8160</a>        | Logo |  |
| Issue date *   | <a href="#">January 25, 2016 (updated February 7, 2020)</a> |      |  |

| Product environmental attributes - Market requirements (See General Note GN below) |  | Requirement met                     |                                     |                          |
|--|--|-------------------------------------|-------------------------------------|--------------------------|
| - Environmental conscious design   |  | Yes                                 | No                                  | n.a.                     |
| Item   | *=mandatory to fill in. Additional information regarding each item may be found under P14.   |                                     |                                     |                          |
| <b>P7</b>  | <b>Design</b>  |                                     |                                     |                          |
|  | <b>Disassembly, recycling</b>  |                                     |                                     |                          |
| P7.1*  | Parts that have to be treated separately are easily separable  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.2*  | Plastic materials in covers/housing have no surface coating.   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.3*  | Plastic parts > 100 g consist of one material or of easily separable materials.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.4*  | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.5   | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.6*  | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
|  | <b>Product lifetime</b>  |                                     |                                     |                          |
| P7.7*  | Upgrading can be done e.g. with processor, memory, cards or drives   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.8*  | Upgrading can be done using commonly available tools   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.9.  | Spare parts are available after end of production for: <b>5</b> years  |                                     |                                     | <input type="checkbox"/> |
| P7.10  | Service is available after end of production for: <b>5</b> years   |                                     |                                     | <input type="checkbox"/> |
|  | <b>Material and substance requirements</b>   |                                     |                                     |                          |
| P7.11*   | Product cover/housing material type (e.g. plastics, metal, aluminum):<br>Material type: <b>ABS</b> Material type: <b>PC/ABS, PC/ABS GF20</b> Material type: <b>Steel</b>   |                                     |                                     |                          |
| P7.12  | Insulation materials of external electrical cables are PVC free.   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.13  | Insulation materials of internal electrical cables are PVC free.   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.14  | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.15  | Printed circuit boards, PCBs (without components) are low halogen: all <input type="checkbox"/> PCBs > 25 g <input type="checkbox"/> are low halogen as defined in IEC 61249-2-21. (See NOTE B2)   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.16  | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:<br>Marking:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.17  | <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):<br>TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> (See NOTE B3), Other; chemical name: _____, CAS #: _____  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> |
|  | <u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <b>FR16</b>   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.18  | <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:<br>1. Chemical name: _____, CAS #: _____ (See NOTE B4)<br>2. Chemical name: _____, CAS #: _____<br>3. Chemical name: _____, CAS #: _____  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> |
|  | <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <b>FR17, FR40, FR30</b>   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.19  | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; _____ and Hazard statements: _____<br>The source(s) for these classifications is/are found at (add URL(s)): _____, _____ (See NOTE B5)   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> |

|                |   |      |  |
|----------------|---|------|--|
| Model number * | <a href="#">CX860de, CX860dte, CX860dtfe, XC8160</a>        | Logo |  |
| Issue date *   | <a href="#">January 25, 2016 (updated December 5, 2019)</a> |      |  |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;  
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| Product environmental attributes - Market requirements (continued)                     |  |                                   |                                   |   | Requirement met                     |                                     |                          |
|--|--|-----------------------------------|-----------------------------------|---|-------------------------------------|-------------------------------------|--------------------------|
| Item   |  |                                   |                                   |   | Yes                                 | No                                  | n.a.                     |
| <b>Material and substance requirements (continued)</b>                                 |  |                                   |                                   |   |                                     |                                     |                          |
| P7.20*   | Postconsumer recycled plastic material content is used in the product (See NOTE B6):   |                                   |                                   |   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
|  | If YES; at least one of the two alternatives below shall be answered;  |                                   |                                   |   |                                     |                                     |                          |
|  | a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <b>up to 37%</b> . |                                   |                                   |   |                                     |                                     |                          |
|  | or   |                                   |                                   |   |                                     |                                     |                          |
|  | b) The weight of recycled material is _____ g.   |                                   |                                   |   |                                     |                                     |                          |
| P7.21*   | Biobased plastic material content is used in the product (See NOTE B7):  |                                   |                                   |   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|  | If YES; at least one of the two alternatives below shall be answered;  |                                   |                                   |   |                                     |                                     |                          |
|  | a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is _____ %.                        |                                   |                                   |   |                                     |                                     |                          |
|  | or   |                                   |                                   |   |                                     |                                     |                          |
|  | b) The weight of the biobased plastic material is _____ g.   |                                   |                                   |   |                                     |                                     |                          |
| P7.22*   | Light sources are free from mercury, i.e. less than 0,1 mg/lamp.<br>If mercury is used specify: Number of lamps: _____ and maximum mercury content per lamp: _____ mg      |                                   |                                   |   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| P7.23*   | If product includes an integral display, the total mercury content in the integrated display: <b>0</b> mg  |                                   |                                   |   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |
| <b>P8 Batteries</b>  |  |                                   |                                   |   |                                     |                                     |                          |
| P8.1*  | Battery chemical composition: <b>Lithium Manganese Dioxide (LiMnO2)</b>  |                                   |                                   |   |                                     |                                     | <input type="checkbox"/> |
| <b>P9 Energy consumption (See NOTE B8)</b>   |  |                                   |                                   |   |                                     |                                     |                          |
| P9.1   | For the product the following power levels or energy consumptions are reported:  |                                   |                                   |   |                                     |                                     |                          |
| Energy mode *  | Power level at<br><b>100 V AC</b>  | Power level at<br><b>115 V AC</b> | Power level at<br><b>230 V AC</b> | Reference/Standard<br>for modes and test method * | energy <input type="checkbox"/>     |                                     |                          |
| Sleep mode for ENERGY STAR® Operational Mode (OM) products                             | W  | W                                 | W                                 |   | <input checked="" type="checkbox"/> |                                     |                          |
| Standby/off mode for ENERGY STAR Operational Mode (OM) products                        | W  | W                                 | W                                 |   | <input checked="" type="checkbox"/> |                                     |                          |
| TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption)               | <b>0.92</b> kWh/week   | <b>0.92</b> kWh/week              | <b>0.92</b> kWh/week              | <b>Energy Star IE v3.0</b>                        | <input type="checkbox"/>            |                                     |                          |
| <b>Printing</b>  | <b>836</b> W   | <b>854</b> W                      | <b>864</b> W                      | <b>Corporate Standard</b>                         | <input type="checkbox"/>            |                                     |                          |
| <b>Copying</b>   | <b>749</b> W   | <b>872</b> W                      | <b>868</b> W                      | <b>Corporate Standard</b>                         | <input type="checkbox"/>            |                                     |                          |
| <b>Ready Mode 1</b>  | <b>68</b> W  | <b>69</b> W                       | <b>68</b> W                       | <b>Energy Star IE v3.0</b>                        | <input type="checkbox"/>            |                                     |                          |
| <b>Ready Mode 2</b>  | <b>62</b> W  | <b>64</b> W                       | <b>61</b> W                       | <b>Energy Star IE v3.0</b>                        | <input type="checkbox"/>            |                                     |                          |
| <b>Sleep</b>   | <b>1.39</b> W  | <b>1.46</b> W                     | <b>1.40</b> W                     | <b>Energy Star IE v3.0</b>                        | <input type="checkbox"/>            |                                     |                          |
| <b>Hibernate</b>   | <b>0.10</b> W  | <b>0.10</b> W                     | <b>0.21</b> W                     | <b>IEC 62301</b>                                  | <input type="checkbox"/>            |                                     |                          |
| <b>Off</b>   | <b>0.06</b> W  | <b>0.08</b> W                     | <b>0.18</b> W                     | <b>IEC 62301</b>                                  | <input type="checkbox"/>            |                                     |                          |
| External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : |  |                                   |                                   |   | <input checked="" type="checkbox"/> |                                     |                          |
| Print/Scan Speed * : <b>57</b> images per minute                                       |  |                                   |                                   | <b>ISO 24734</b>                                  | <input type="checkbox"/>            |                                     |                          |
| Default time to enter energy save mode: <b>15</b> minutes                              |  |                                   |                                   | <b>Energy Star IE v3.0</b>                        | <input type="checkbox"/>            |                                     |                          |
| P9.2*  | Information about the energy save function is provided with the product.   |                                   |                                   |   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.


NOTE B8 A Guidance document on Energy efficiency is available;  
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

|                |   |      |  |
|----------------|---|------|--|
| Model number * | CX860de, CX860dte, CX860dtfe, XC8160        | Logo |  |
| Issue date *   | January 25, 2016 (updated February 7, 2020) |      |  |

| Product environmental attributes - Market requirements (continued)     |  |                                  | Requirement met  |   |                          |
|--|--|----------------------------------|--|---|--------------------------|
| Item   |  |                                  | Yes  | No  | n.a.                     |
| <b>P10 Emissions</b>   |  |                                  |  |   |                          |
| Noise emission – Declared according to ISO 9296 (See NOTE B9)          |  |                                  |  |   |                          |
| P10.1  | Mode   | Mode description                 | Statistical upper limit A-weighted sound power level, $L_{WA,C}$ (B) |   |                          |
|  | Idle   | * Idle/Ready                     | * 3.2  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
|  | Operation  | * Duplex Monochrome Printing     | * 7.3  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
|  | Other mode   | Simplex Monochrome Printing      | 7.2  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
|  | Measured according to: <input checked="" type="checkbox"/> ISO 7779 <input checked="" type="checkbox"/> ECMA-74 <input type="checkbox"/> Other (only if not covered by ECMA-74)  |                                  |  |   |                          |
| <b>P10.2* Chemical emissions from printing products (See NOTE B10)</b> |  |                                  |  |   |                          |
| P10.2*   | Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) <input type="checkbox"/> , other specify: RAL-UZ 171/205   |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P10.3  | Typical emission rate (operation phase) is (mg/h):   |                                  | <input type="checkbox"/>   | <input type="checkbox"/>                                  | <input type="checkbox"/> |
|  | Electrophotographic devices: Ozone 1.18 Dust 3.93 Styrene 0.096 Benzene 0.030 TVOC 17  |                                  | <input type="checkbox"/>   | <input type="checkbox"/>                                  | <input type="checkbox"/> |
|  | Ink devices: Dust Styrene Benzene TVOC   |                                  | <input type="checkbox"/>   | <input type="checkbox"/>                                  | <input type="checkbox"/> |
|  | NOTE: compliance with maximum emission rates in eco labels to be declared in P14.  |                                  |  |   |                          |
| <b>P11 Consumable materials for printing products</b>                  |  |                                  |  |   |                          |
| P11.1*   | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).   |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P11.2*   | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.   |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P11.3*   | 2-sided (duplex) printing/copying is an integrated product function.   |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P11.4*   | The product is delivered to end-user with default auto-duplex enabled.   |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| <b>P13 Packaging and documentation</b>                                 |  |                                  |  |   |                          |
| P13.1*   | Product packaging material type(s): Corrugated weight (kg): 6.939<br>Product packaging material type(s): Wood weight (kg): 9.155<br>Product packaging material type(s): Paper weight (kg): 0.485<br>Metal 0.064<br>Plastic, HDPE 0.256<br>Plastic, LDPE Expanded 1.563<br>Plastic PP 0.065 |                                  |  |   |                          |
| P13.2*   | Product plastic primary packaging is free from PVC.  |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P13.3*   | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: Recycled content >25 %   |                                  | <input type="checkbox"/>   | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P13.4*   | Specify media for user and product documentation (tick box):<br>Electronic <input checked="" type="checkbox"/> , Paper <input checked="" type="checkbox"/> , Other <input type="checkbox"/>  |                                  | <input type="checkbox"/>   | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| P13.5  | (Please only complete this item if paper documentation used)<br>User and product documentation on paper media is chlorine-free:<br>If Yes, please specify:<br>Totally chlorine-free<br>Elemental chlorine-free<br>Processed chlorine-free  |                                  | <input checked="" type="checkbox"/>                                  | <input type="checkbox"/>                                  | <input type="checkbox"/> |
| <b>P14 Voluntary programs:</b>   |  |                                  |  |   |                          |
| P14.1  | The product meets the requirements of the following voluntary program(s):  |                                  |  |   |                          |
|  | ENERGY STAR®   | Criteria version: 3.0            | Date: Dec 2018   | Product category: Imaging Equipment                       |                          |
|  | Eco-label: Blue Angel  | Criteria version: RAL-UZ 171/205 | Date: Jul 2012   | Product category: Office Equipment with printing function |                          |
|  | Eco-label:   | Criteria version:                | Date:  | Product category:   |                          |

NOTE B9 A Guidance document on Acoustic Noise is available;  
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

NOTE B10 A Guidance document on Chemical Emissions is available;  
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

|                |   |      |   |
|----------------|---|------|---|
| Model number * | CX860de, CX860dte, CX860dtfe, XC8160        | Logo |  |
| Issue date *   | January 25, 2016 (updated February 7, 2020) |      |   |

| Product environmental attributes - Market requirements (concluded) |  | Requirement met |
|--|--|-----------------|
| P15  | Additional information (See NOTE B11)  |                 |
|  | <i>P2.3 - The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.</i> |                 |
|  | <i>P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are &gt;25g</i>  |                 |
|  | <i>P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.</i>                                   |                 |
|  | <i>P7.20 - Per IEEE 1680.2 PCR calculation</i>   |                 |
|  | <i>P10.3 - Color values above, monochrome values are: Ozone 0.41, Dust 1.92, Styrene 0.066, Benzene 0.019, TVOC 10</i>   |                 |
|  | <i>P13.1 - Weights listed for model CX825de</i>  |                 |

---

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

| Reference  | Declaration item             |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) *<br>* Specific exemptions apply for certain products and applications.  | P1.1, P4.1, P3.1             |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII  | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII   | P1.10                        |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)   | P4.3                         |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)  | P1.3, 5.3                    |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                         |
|  |                              |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.*<br>* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.           | P2.1, P2.2, P2.3, P8.1       |
|  |                              |
| Directive 2014/35/EU (Low Voltage Directive)   | P3.1                         |
| Directive 2014/30/EU (EMC Directive)   | P3.1                         |
| Directive 2014/53/EU (RE Directive)  | P3.1                         |
| Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)                           | P3.1, P3.2                   |
| Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions |                              |
| Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers   |                              |
|  |                              |
| Commission Regulation (EC) 1272/2008 (CLP Regulation)  | P4.3, P7.19                  |
| Directive 2004/12/EC (Packaging Directive)   | P5.1                         |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                         |

|   |      |
|---|------|
| <p>Directive 2012/19/EU (WEEE directive)</p> <p>Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.</p> <p>Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.</p> | P6.1 |
|---|------|