



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	Drew Zande Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 dzande@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	· · · · · · · · · · · · · · · · · · ·				
Commercial name *	Lexmark MS321dn, Lexmark B2338dw				
Model number *	MS321dn, B2338dw				
Issue date *	April 17, 2018				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MS321dn, B2338dw	Logo	
Issue date *	April 17, 2018		Lexmark

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	l 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			
	Required information is; given in item P15 or added to this document, available at (add URL): http://csr.lexmark.com/eu_requiations.shtml			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(used (see legal reference).	3)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montres Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MS321dn, B2338dw	Logo	[™
Issue date *	April 17, 2018		Lexmark

Product environmental attributes - Market requirements (See General NOTE GN below)						
	Environmental conscious design	Require	men	t met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design					
D7.4*	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements			_		
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: <i>PC+ABS</i> Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d t				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	<i>i</i>	\boxtimes			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "					
	<u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR40, FR30+40					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>Up to 40</i> %. or	ā				
	b) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date					rľ				
issue date	LEXITION					IN			
Product	Product environmental attributes - Market requirements (continued) Requirement me							met	
Item							Yes	No	n.a.
			ance requirements (]
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	a) Of t	otal plastic			swered; ic material content (calcula	ated as a percentage of	of		
	or	I plastic by	weight) is .						
		weight of	the biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. lopecify: Number of lam		np. kimum mercury content pe	r lamp: mg			
P8	Batteries		poorly. Humbor of fam.	po. una ma	annam moreary content po	namp. mg			
P8.1*			mposition: Lithium Ma	anganese Dioxide	(LiMnO2)				
P9			on (See NOTE B8)		· /				
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test methods		nergy	
Sleep mod	le for ENE	RGY	W	W	W				
STAR® Op (OM) produ	perational								
Standby/of			W	W	W		,		
ENERGY S Mode (OM									
TEC value TEC produ	for ENER		1.4 kWh/week	1.4 kWh/week	1.4 kWh/week	Energy Star I E V2.	0		
(TEC= Typ	ical Energ	V							
Printing		,	494 W	502 W	481 W	Corporate Standard	<u> </u>		
Ready Mo	de 1		6.76 W	6.75 W	6.40 W	Energy Star I E V2.	0		
Ready Mo	de 2		NA W	NA W	NA W	Energy Star I E V2.	0		
Sleep			1.75 W	1.73 W	1.73 W	Energy Star I E V2.	0		
Hibernate			0.09 W	0.09 W	0.07 W	IEC 62301			
Off			0.09 W	0.09 W	0.07 W	IEC 62301			
External Po	ower Supp	ly Efficiend	cy Level (International	Efficiency Marking	Protocol) *:				
Print/Scan	Speed *	:	36 images per minute			ISO 24734			
Default tim	e to enter	energy sav	ve mode: 1 minutes			Energy Star I E V2.	0		
P9.2*	Informati	on about th	ne energy save functio	n is provided with t	he product.	•	\boxtimes		
P10 Emissions									
D40.4			Declared according to	ISO 9296 (See NC					
P10.1	Mode	M	ode description		Statistical upper limit A-w $L_{WA,c}$ (B)	eighted sound power l	evel,		
	Idle		ldle / Ready		*3.1				
	Operatio		Duplex Monochrome	_	* 6.9				
	Other mo		Simple Monochrome		6.8				
	Measured according to: ISO 7779 ECMA-74								
			Other	(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Issue date *		April 17, 2018		Logo	Lexmark		rk		
Product	Product environmental attributes - Market requirements (continued) Requirement						ment	met	
Item				,			Yes	No	n.a.
	Chemic	cal emissions from p	printing products (See NOTE	B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from								
D40.0		nic Equipment (ISO/II		AL-UZ 205					
P10.3	l ypical	emission rate (opera	tion phase) is (mg/h):						Ш
	Electrophotographic devices: Ozone 0.26 (LOQ) Dust <0.22 (LOQ) Styrene 0.115 Benzene <0.012 (LOQ) TVOC 3.431								
	Ink devi	ices:	Dust	Styrene	Benzene	TVOC			
	Note: co	ompliance with maxin	num emission rates in eco labels	s to be declared in F	214				
P11		mable materials for		0 10 00 00010100 1111					
P11.1*			s available for the ink/toner prep	paration, even if not	legally requi	red (see P4.3).			\Box
P11.2*		containing post-cons	umer recycled fibers can be u			<u> </u>			
P11.3*			ying is an integrated product fur	nction.					
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duples	k enabled.				Ħ	Ħ
P13	Packag	ing and documenta	tion						
P13.1*	Product Product	t packaging material t	type(s): Corrugated weight (k type(s): Plastic - HDPE type(s): Expanded Poylstyrene	weight (kg): 0.09	(g): 0. 29				
P13.2*	Product	t plastic primary pack	aging is free from PVC.				\boxtimes		
P13.3*		duct primary corrugater recovered fiber co	ated fiberboard packaging, spe entent: Recycled content >2		percentage	of minimum post-			
P13.4*		media for user and pnic \boxtimes , Paper \boxtimes , O	product documentation (tick box)	:					
P13.5	Ùser ar		em if paper documentation used ation on paper media is chlorine						
	Totally	chlorine-free					\bowtie		
	Elemen	ital chlorine-free							
	Process	sed chlorine-free							
P14		ary programs:							
P14.1	The pro	duct meets the requi	rements of the following volunta	ry program(s):					
	_	GY STAR® pel: <i>Blue Angel</i>	Criteria version: 2.0 Date: Criteria version: RAL-UZ 205	Oct. 2014 Date: Jan. 2017		ategory: <i>Imaging</i> ategory: <i>Office Ed</i> function			
	Eco-lab	el:	Criteria version:	Date:	Product ca				
P15		nal information (Se							
	proper P2.3 - 1 the cus P5.2 - 1 they are P7.14 - intention	ly labeled with the V The battery containe stomer; however, is The packaging maten e >25g A small amount of b	ed within this product should in VEEE disposal symbol and inseed within this product meets to designed for easy removal by ials are marked with abbreviation romine may be present in cover- pocessing of these parts.	structions for such he exception listed recyclers and ser ns and numbers ind	disposal is The batte vice provide licating the n	s listed in the pro- ry is not intended ers. nature of the mater	duct Use I to be re ial(s) use	er's Gr emove ed whe	ed by en

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1