

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	David DeVore Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 david.devore@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

	(based on product specification or test results based obtained from sample testing), that the product onts given in this declaration.
Type of product *	Single-function Mono Laser Device
Commercial name *	Lexmark [B3340dw, MS331dn]
Model number *	B3340dw, MS331dn
Issue date *	30 April 2020
Intended market *	Global
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5			
Model number *	B3340dw, MS331dn	Logo	
Issue date *	30 April 2020		Lexmark

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item	•	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	\boxtimes		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (<u>Sustainability@lexmark.com</u>); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <u>http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html</u>			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, Quertary available at (add URL): https://csr.lexmark.com/product-certifications.php	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.		<u> </u>	
P6 P6.1*				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	B3340dw, MS331dn	Logo	1
Issue date *	30 April 2020		Lexmark

-	Environmental conscious design	Requ	ireme	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes,	No	n.a.
77	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
7.1 77.2*	Plastic materials in covers/housing have no surface coating.			
-7.2 -7.3*				
	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\bowtie		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\bowtie		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PC+ABS Material type: HIPS			
97.12	Insulation materials of external electrical cables are PVC free.		\square	
97.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR40</i>	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_		_
	TBBPA (additive) 🔲, TBBPA (reactive) 📃 (See NOTE B3), Other; chemical name: 🛛 , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>	\bowtie		
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30, FR40,	\square		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Model number *	B3340dw, MS331dn	Logo	
Issue date *	30 April 2020		Lexmark

	environmental attr	ibutes - Market r	equirements (conti	nued)	F	Require		
Item						Yes	No	n.a
	Material and substa							
P7.20*	Postconsumer recyc	led plastic material c	content is used in the p	roduct (See NOTE B6)	:	\boxtimes		
	a) Of total plastic p			ered; /cled plastic material co	ontent (calculated as a			
	or		,					
DT 0 (t		ecycled material is	g.	ATT DT)				
P7.21*	Biobased plastic mai	terial content is used	l in the product (See N	OTE B7):			\bowtie	
	a) Of total plastic total plastic by	parts' weight > 25 g,	s below shall be answe the biobased plastic r	'	ated as a percentage of			
	or b) The weight of the	ne biobased plastic r	naterial is a.					
P7.22*		e from mercury, i.e.	less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg	\boxtimes		
P8	Batteries	<u> </u>		, ,	1 0			
P8.1*		nposition: <i>Lithium N</i>	langanese Dioxide (L	iMnO2)				
P9	Energy consumption	on (See NOTE B8)						
P9.1			s or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test metho		nergy	
	de for ENERGY perational Mode lucts	W	W	W				\square
Standby/o ENERGY	ff mode for STAR Operational 1) products	W	W	W				\square
TEC value TEC produ	or ENERGY STAR ucts (TEC= Typical onsumption)	kWh/week	0.44 kWh/week	0.45 kWh/week	Energy Star I E V3.0			
Printing		W	538.9 W	513.8 W	Corporate Standard			
Ready Mo	ode	W	5.3 W	4.85 W	Energy Star I E V3.0			
Sleep		W	0.84 W	0.88 W	Energy Star I E V3.0			
Off		W	0.04 W	0.06 W	IEC 62301			
		W	W	W				
		W	W	W				
External P	ower Supply Efficiency	y Level (Internationa	Efficiency Marking Pr	otocol) * :				\boxtimes
Print/Scan Speed * : 40 images per minute ISO 24734								
Default time to enter energy save mode: 15 minutes Energy Star I E V3.0								
P9.2*	Information about the	e energy save function	on is provided with the	product.	1	\square		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	B3340dw, MS331dn	Logo	14
Issue date *	30 April 2020		Lexmark

	environmental	attributes - M	arket requirements (c	ontinued)			ment met
Item						Yes	No n.a.
P10	Emissions	Dealanadaaa	andia a ta 100 0000 (0a a N				
P10.1		Mode descript	ording to ISO 9296 (See N		nit Aussighted sound power	lovel	
P10.1	Mode	I mode descript	ION	LwA,d (B)	nit Aweighted sound power	ievei,	
	Idle	* Idle / Ready		* 3.1			\boxtimes
	Operation	* Duplex Mon	ochrome Printing	* 6.4			\boxtimes
	Other mode	Simplex Mo	nochrome Printing	6.7			
	Measured accor						
			Other	(only if not covered b	by ECMA-74)		
			ting products (See NOTE				
P10.2*			MA-328 Determination of		ates from Electronic	\boxtimes	
			, other specify: RAL-UZ 20	05			
P10.3	Typical emission	n rate (operation	phase) is (mg/h):				
	Electrophotogra	nhic devices: Oz	$cone < 0.13 (I \cap O)$ Dust 0	25 Styrone 0 127 Bon	zene <0.012 (LOQ) TVOC		
	2.206			20 Styrene 0. 727 Den			H
	Ink devices:		Dust	Styrene Bei	nzene TVOC		
		a a with maximu	m amiasian ratas in ass la	hala ta ha daalarad in	D14		
P11	Consumable m		m emission rates in eco la	idels to de declared in	1 P 14.		
P11.1*				eparation, even if not	legally required (see P4.3).		
P11.2*		, ,	recycled fibers can be us	•	••••		
P11.3*		printing/copying	is an integrated product f	iunction		\boxtimes	
P11.4*			user with default auto-dupl				
P11.4	•		•				
P13.1*	Packaging and Product packagi			weight (kg):0.9620			
F 13.1	Product packagi			weight (kg): 0.016			
	Product packagi			weight (kg): 0.0835	5		
	Product packagi			weight (kg): 0.0077			
	Product packagi	ng material type	(s): PU	weight (kg): 0.0078	8		
	Product packagi	ng material type	(s): <i>EPE</i>	weight (kg): 0.106			
	Product packagi	ng material type	(s): PP	weight (kg): 0.0086			
	Product packagi	ng material type	(s): Mixed	weight (kg): 0.005	9		
P13.2*	Product plastic p	primary packagir	ig is free from PVC.			\boxtimes	
P13.3*			iberboard packaging, spec nt: Recycled content >25		centage of minimum post-		
P13.4*	Specify media for	or user and prod	uct documentation (tick bo				
	Electronic 🔀, F	Paper 🔀, Other					
P13.5	(Please only con	nplete this item i	f paper documentation use	ed)		_	_
	User and produc If Yes, please sp		on paper media is chlorir	ne-free:			
	Totally chlorine-1	free				\bowtie	
	Elemental chlori	ne-free					
	Processed chlor	ine-free					
P14	Voluntary prog	rams:					
P14.1			ents of the following volun	tary program(s):			
	ENERGY STAR	® Cr	iteria version: 3.0	Date: Oct. 2019	Product category: Imagir	ng Equipm	ent
	Eco-label: Blue		iteria version: RAL UZ-20		Product category: Office		
		-		5.4	Printing Function		
	Eco-label:	Cı	iteria version:	Date:	Product category:		

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	B3340dw, MS331dn	Logo	14
Issue date *	30 April 2020		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	