

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo	
Company name *	Lexmark International Inc.		
Contact information *	David DeVore		
e-mail address	Lexmark International Inc.		Lexmark
	740 New Circle Road, Building 001		LEXITICIA
	Lexington, KY 40550		
	david.devore@lexmark.com		
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Multi-function Mono Laser Device					
Commercial name *	Lexmark [MX331adn]					
Model number *	MX331adn					
Issue date *	30 April 2020					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5			
Model number *	MX331adn	Logo	
Issue date *	30 April 2020		Lexmark

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations		-	-
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	\boxtimes		
P1.7*	REACH Program Manager (<u>Sustainability@lexmark.com</u>); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\bowtie		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\bowtie		
	Required information is; given in item P15 or added to this document, available at (add URL): <u>https://csr.lexmark.com/product-certifications.php</u>	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Mod	lel number *	MX331adn	Logo	
Issu	e date *	30 April 2020		Lexmark

	· Environmental conscious design	Requ	iremer	nt met
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n	.a.
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\square		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PC+ABS Material type: HIPS			
P7.12	Insulation materials of external electrical cables are PVC free.		\bowtie	
P7.13	Insulation materials of internal electrical cables are PVC free.		\square	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\square	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR40</i>	\boxtimes		
P7.17	<u>Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):</u>		_	
	TBBPA (additive) 🔲, TBBPA (reactive) 📃 (See NOTE B3), Other; chemical name: 🛛 , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>	\boxtimes		
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	2. Onemical name: , CAS #: 3. Chemical name: , CAS #: * <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR16, FR17, FR30+40</i>			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)):			

NOTE B3 and B4 A Guidance document on Chemical substances is available;

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

		MX331adı 30 April 2				Logo	Lexmar
locuo uuto							
	environm	ental attri	ibutes - Market re	equirements (conti	nued)		Requirement m Yes No n.
Item	Motorial	nd aubata	noo roquiromonto /	(continued)			Yes No n.
			nce requirements (ed plastic material c		roduct (See NOTE B6):		
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or							ed as a
P7.21*	,	-	cycled material is	g. in the product (See No			
	lf YES; at a) Of to total or b) The	least one c tal plastic p plastic by v weight of th	of the two alternative parts' weight > 25 g, veight) is %. e biobased plastic n	s below shall be answe the biobased plastic n naterial is g.	ered; naterial content (calcula	ted as a perce	
			e from mercury, i.e. ecify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	um mercury content per	lamp: r	ng
P8	Batteries						
	-			langanese Dioxide (L	iMnO2)		
P9	0,	•	n (See NOTE B8)				
P9.1	For the pr	oduct the fo	bllowing power level	s or energy consumption	ons are reported:		
Energy mod	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,
Sleep mode STAR® Op (OM) produ	erational N		W	W	W		
Standby/off ENERGY S Mode (OM)	STAR Oper	ational	W	W	W		
TEC value TEC produc Energy Cor	for ENERC	Typical	kWh/week	0.43 kWh/week	0.44 kWh/week	Energy Star	L
Printing			W	520.9 W	518.9 W	Corporate S	tandard
Ready Mod	de		W	6.17 W	6.33 W	Energy Star	
Сору			W	539.9 W	521.8 W	Corporate S	L
ADF Scan			W	12.4 W	12.5 W	Corporate S	
Sleep			W	0.84 W	0.81 W	Energy Star	I E V3.0
Off			W	0.05 W	0.03 W	IEC 62301	
				Efficiency Marking Pro	otocol) * :		
Print/Scan	Speed *	: 4	images per minute	e		ISO 24734	
Default time to enter energy save mode: 15 minutes Energy Star I E V3.0							
P9.2*	Informatio	on about the	e energy save function	on is provided with the	product.		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MX331adn	Logo	
Issue date *	30 April 2020		Lexmark

	environmental	attributes - Ma	rket requirements (c	ontinued)		Require		met	
Item						Yes	No	n.a.	
P10	Emissions	Declared acco	rding to ISO 0206 (See N						
P10.1	Mode	Mode descriptio	<mark>rding to ISO 9296 (See N</mark> n		mit Aweighted sound power	level,			
	Idle	* Idle / Ready		* 3.1				\square	
	Operation	* Duplex Mono	chrome Printing	* 6.4					
	Other mode	Simplex Mon	ochrome Printing	6.7					
	Measured according to: KISO 7779 ECMA-74								
	Chemical emissions from printing products (See NOTE B10)								
P10.2*		Rates from Electronic	\bowtie						
510.0	Equipment (ISO/IEC 28360), other specify: RAL-UZ 205								
P10.3	Typical emission rate (operation phase) is (mg/h):								
	Electrophotogra	phic devices: Ozo	ne <0.13 (LOQ) Dust 0.1	2 <mark>5</mark> Styrene	nzene < <u>0.012 (LOQ)</u> TVOC				
	Ink devices:		Dust	Styrene Be	enzene TVOC				
			emission rates in eco la	bels to be declared in	n P14.				
P11		aterials for print		anaration over if not	t legally required (see D4.2)				
P11.1*					t legally required (see P4.3).		<u> </u>	<u> </u>	
P11.2*	EN 12281.		•	•	neets the requirements of	\boxtimes			
P11.3*	2-sided (duplex)	printing/copying i	s an integrated product f	unction.		\bowtie			
P11.4*	The product is d	elivered to end-us	er with default auto-dupl	ex enabled.		\boxtimes			
P13		documentation							
P13.1*	Product packagi Product packagi Product packagi Product packagi Product packagi Product packagi Product packagi	ng material type(s ng material type(s	Paper weight i): HDPE weight i): LDPE weight i): PU weight i): EPS weight i): PP weight i): Mixed weight	nt (kg): 1.1600 nt (kg): 0.1600 nt (kg): 0.0872 tt (kg): 0.0077 t (kg): 0.0078 t (kg): 0.3313 t (kg): 0.0103 t (kg): 0.0079					
P13.2*			is free from PVC.			\square			
P13.3*					rcentage of minimum post-				
P13.4*	consumer recovered fiber content: Recycled content >25 % Specify media for user and product documentation (tick box): Image: Content and Co								
P13.5	· · ·	ct documentation	paper documentation use on paper media is chlorin	,		\boxtimes			
	Totally chlorine-	free				\boxtimes			
	Elemental chlorine-free								
	Processed chlor	ine-free							
P14	Voluntary prog								
P14.1	The product mee	ets the requirement	nts of the following volun	tary program(s):					
	ENERGY STAR Eco-label: <i>Blue</i>		eria version: 3.0 eria version: <i>RAL UZ-20</i> .	Date: Oct. 2019 5 Date: Jan. 2017	Product category: <i>Imagir</i> Product category: <i>Office</i> <i>Printing Function</i>				
	Eco-label:	Crit	eria version:	Date:	Product category:				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MX331adn	Logo	
Issue date *	30 April 2020		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	