



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information *	David DeVore	- 70
e-mail address	Lexmark International Inc.	Lexmark
	740 New Circle Road, Building 001	Lexillark
	Lexington, KY 40550	
	david.devore@lexmark.com	
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		_

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product		
conforms to the statemen	conforms to the statements given in this declaration.		
Type of product *	Multi-function [Single-function] Color [Mono] Laser Device		
Commercial name *	Lexmark [MX431adn]		
Model number *	MX431adn		
Issue date *	30 April 2020		
Intended market *	Global Europe Asia, Pacific & Japan Americas Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	MX431adn	Logo	
Issue date *	30 April 2020		<b>Lexmark</b>

Product	environmental attributes - Legal requirements	Require	ment met
Item	•	Yes	No n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$	
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$	
	Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$	
	terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week		
	(see legal reference).	_	
= . = .	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):  REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington,	$\boxtimes$	
	KE 40550 (Sustainability Sustainability Sustainability Department, 140 West New Circle Rd., Lexington, KY 40550		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		
P2.3*	reference)  Batteries and accumulators are readily removable. (See legal reference)		
P3.1*	Conformity verification & Eco design (ErP)		
P3.1	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html">http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html</a>		
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	$\boxtimes$	
	Required information is; given in item P15 or added to this document,  available at (add URL): https://csr.lexmark.com/product-certifications.php	$\boxtimes$	
D.4			
<b>P4</b> P4.1*	Consumable materials  If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater		
F4.1	than 0,01% (see legal reference and NOTE B1).		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	$\boxtimes$	
	legal reference)		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\boxtimes$	
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available		
P5	(see legal reference).  Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		
	hexavalent chromium by weight of these together.		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	5) 🔀	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$	
	Protocol (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MX431adn	Logo	
Issue date *	30 April 2020		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requ	irem	ent m	et
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
D7.4*	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		]	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		]	
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: <b>PC+ABS</b> Material type: <b>HIPS</b>				
P7.12	Insulation materials of external electrical cables are PVC free.		$\succeq$	]	
27.13	Insulation materials of internal electrical cables are PVC free.		$\times$		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		$\times$	]	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	$\boxtimes$			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			]	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16	$\boxtimes$		]	
₽7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "			]	
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  FR16, FR17, FR30+40			]	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			]	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	MX431adn	Logo	12
Issue date *	30 April 2020		Lexmark

Product	environmental att	ributes - Market re	quirements (contin	ued)	R	equire	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):		$\boxtimes$		
	•		s below shall be answer	•	ntant (aplaulated as a			
	percentage of t	otal plastic by weight)	he postconsumer recyc is %.	deu piastic materiai co	mem (calculated as a			
	or b) The weight of r	ecycled material is	g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See NO	TE B7):			$\boxtimes$	
	,		below shall be answer	•				
	<ul> <li>a) Of total plastic total plastic by</li> </ul>		the biobased plastic ma	aterial content (calcula	ited as a percentage of			
	or b) The weight of t	he biobased plastic m	aterial is q.					
P7.22*	Light sources are fre	ee from mercury, i.e. le	ess than 0,1 mg/lamp.			$\boxtimes$		
50		pecify: Number of lam	ps: and maximul	m mercury content per	· lamp: mg			
<b>P8</b> P8.1*	Batteries	manaitian. Lithium III	anganese Dioxide (Lill	M= (22)				
P0.1	Battery chemical col	inposition: Litinum wa	anganese Dioxide (Liii	MNO2)				
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	le for ENERGY perational Mode	W	W	W				
Standby/of	ff mode for STAR Operational	W	W	W				
TEC value	for ENERGY STAR	kWh/week	0.46 kWh/week	0.47 kWh/week	Energy Star I E V3.0			
	icts (TEC= Typical insumption)							
Printing		W	569.9 W	550.3 W	Corporate Standard			
Ready Mo	de	W	6.89 W	<b>6.81</b> W	Energy Star I E V3.0			
Сору		W	581.9 W	559.8 W	Corporate Standard			
ADF Scan		W	13.4 W	13.4 W	Corporate Standard			
Sleep		W	0.86 W	0.84 W	Energy Star I E V3.0			
Off		W	<b>0.04</b> W	<b>0.03</b> W	IEC 62301			Ш
			Efficiency Marking Prot	tocol) * :				
Print/Scan	<u>'</u>	42 images per minute			ISO 24734			
	e to enter energy sav				Energy Star I E V3.0			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.		$\boxtimes$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	MX431adn	Logo	1 2
Issue date *	30 April 2020		Lexmark

Product	environmental a	attributes - Market	requirements (co	ontinued)			Require	ment	met
Item							Yes	No	n.a.
P10	Emissions								
		<ul> <li>Declared according to</li> </ul>	o ISO 9296 (See N						
P10.1	Mode	Mode description		Statistical upp LwA,d (B)	er limit A-weigh	ited sound power l	evel,		
	Idle	* Idle / Ready		* 3.1					$\boxtimes$
	Operation	* Duplex Monochron		* 6.4					$\boxtimes$
	Other mode	Simple Monochron		6.8					
	Measured accord	ding to: 🔀 ISO 7779 🛭	ECMA-74	_	<del></del>	_	—	_	
				(only if not cove	red by ECMA-7	4)			
	Chemical emiss	sions from printing pr	oducts (See NOTE	B10)	-				
P10.2*	•	according to ECMA-328			on Rates from E	Electronic			
	Equipment (ISO/		specify: RAL-UZ 20	)5					
P10.3	Typical emission	rate (operation phase)	is (mg/h):						
	Electrophotograp  2.206	ohic devices: Ozone <	).13 (LOQ) Dust 0.2	25 Styrene <i>0.12</i> 7	Benzene <0.0	12 (LOQ) TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
<u></u>		ce with maximum emis		bels to be declar	ed in P14.				
P11		aterials for printing pr							
P11.1*		neet (SDS) is available		·		· · · · · · · · · · · · · · · · · · ·	$\boxtimes$		
P11.2*	EN 12281.	post-consumer recycle			it meets the red	quirements of			
P11.3*	2-sided (duplex)	printing/copying is an in	ntegrated product fu	unction.			$\boxtimes$		
P11.4*	The product is de	elivered to end-user wit	h default auto-duple	ex enabled.			$\boxtimes$		
P13	Packaging and	documentation							
P13.1*	Product packagir Product packagir Product packagir Product packagir Product packagir Product packagir	ng material type(s): Cong material type(s): Pang material type(s): LD ng material type(s): LD ng material type(s): PU ng material type(s): EF ng material type(s): PF ng material type(s): Mi	per weigh PE weigh Weight Weight Weight Weight Weight Weight	nt (kg): 1.1600 nt (kg): 0.1600 nt (kg): 0.0872 nt (kg): 0.0077 t (kg): 0.0078 t (kg): 0.3313 t (kg): 0.0103 t (kg): 0.0079					
P13.2*		rimary packaging is fre							
P13.3*		ary corrugated fiberboa ered fiber content: Re			percentage of	minimum post-			
P13.4*	Specify media fo	r user and product doc aper , Other							
P13.5		plete this item if paper	documentation use	-d)					
0.0		t documentation on par							
	Totally chlorine-fi	ree							
	Elemental chlorin								
	Processed chlori						H		
P14									
P14.1	The product mee	ets the requirements of	the following volunt	ary program(s):					
	ENERGY STAR® Eco-label: <b>Blue</b>		ersion: 3.0 ersion: RAL UZ-205	Date: Oct. 20 5 Date: Jan. 20	017 Product	category: Imaging category: Office E Function			
	Eco-label:	Criteria ve	ersion:	Date:	•	category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

Model number *	MX431adn	Logo	
Issue date *	30 April 2020		<b>Lexmark</b>

<b>Produc</b>	t environmental attributes - Market requirements (concluded) Requirement m
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guid
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine wa intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
	1

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	