



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P 15.

Brand *	Lexmark	Logo			
Company name *	Lexmark International, Inc.				
Contact information *	Troy Foster (USA)				
e-mail address	Email: Sustainability@lexmark.com	Lexmark 1			
		LEXITIOIR			
Internet site *	www.lexmark.com/TED and csr.lexmark.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *					
Commercial name *	Lexmark CX921de, Lexmark CX927de, Lexmark XC9235				
Model number *	CX921de, CX927de, XC9235				
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information	Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	CX921de, CX927de, XC9235	Logo	
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)		Lexmark

Product	Require	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
P1.3*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		_	
F1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	X	Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	ne 🔀		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	· 🔽		$\overline{}$
F 1.0	(see legal reference).	· 🔼	Ш	ш
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	REACH Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)	al 🔀	Ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-			
	conformity.html			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\square		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://csr.lexmark.com/eu_regulations.shtml	1		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		Ħ	$\overline{}$
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		_	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
-	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀		
	used (see legal reference).	· 🔼		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).	_		
De	Comment: Legal reference has no maximum concentration values. Treatment information			
P6	Information for recyclers/treatment facilities is available (see legal reference).			
F0.1	inionnation for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CX921de, CX927de, XC9235	Logo	7M
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)		Lexmark

	environmental attributes - Market requirements (See General NOTE GN below)	.				
		Requirement met				
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a.			
F/	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$			
P7.2*	Plastic materials in covers/housing have no surface coating.		∺			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		+	\dashv		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	\vdash		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>			
			<u> </u>			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш	Ш		
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives		_			
			 -			
P7.8*	Upgrading can be done using commonly available tools	\square				
P7.9.	Spare parts are available after end of production for: 5 years			$\perp \!\!\! \perp$		
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12	Material type: PC+PET Material type: PC+ABS Material type: Insulation materials of external electrical cables are PVC free.					
P7.12	Insulation materials of internal electrical cables are PVC free.	_#	X	+		
				<u> </u>		
P7.14 EXT	ernal plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weigh (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyviny chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		X			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR17					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <u>FR16, FR17, FR40, FR30+40</u>					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\times	Ш			
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>Up to 35</i>%. 	I				
	b) The weight of recycled material is g.			l		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio -based plastic material.

Model nun	nber *	CX921de,	e, CX927de, XC9235 Logo					
Issue date	Existing publication date on original file (revised Oct 28th, 2020)						Lexmark	
Product environmental attributes - Market requirements (continued) Requirement							Requirement met	
Item				•	•		Yes No n.a.	
Material and substance requirements (continued)								
P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is .002%. or b) The weight of the biobased plastic material is g.							
P7.22*	Light sou	rces are fr	ee from mercury, i.e. I	ess than 0,1 mg/lan	np. kimum mercury content p	er lamp: mg		
P8	Batteries	S						
P8.1*	Battery c	hemical co	mposition: Lithium M	anganese Dioxide	(LiMnO2)			
P9			on (See NOTE B8)					
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test met	0,	
Sleep mod STAR® Op (OM) produ	perational	RGY Mode	W	W	W			
Standby/of ENERGY S Mode (OM)	f mode for STAR Ope	erational	W	W	W			
TEC value	icts		0.72 kWh/week	0.72 kWh/week	0.69 kWh/week	Energy Star I E V3	.0	
(TEC= Typ	ical Energ	<u>ay</u>	504104	504)//	50014/	0		
Printing			581 W	591 W	583 W	Corporate Standar		
Ready Mo	de 1		193 W	204 W	219 W	Energy Star I E V3		
Ready Mo	de 2		NA W	NA W	<i>NA</i> W	Energy Star I E V3	.0	
Sleep			1.48 W	1.51 W	1.43 W	Energy Star I E V3	.0	
Hibernate			0.11 W	0.11 W	0.14 W	IEC 62301		
Off			0.004 W	0.005 W	0.009 W	IEC 62301		
			cy Level (International		Protocol) *:			
Print/Scan	Speed *	:	35 images per minute			ISO 24734		
Default tim	e to enter	energy sav	ve mode: 15 minutes			Energy Star I E V3	.0	
P9.2* Information about the energy save function is provided with the product.								
P10								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	M	ode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}(B)$		level,	
	Idle		* Idle / Ready * 4.0					
	Operatio		Duplex Monochrome		* 6.8			
	Other mo		Simple Monochrome	_	6.6			
	Measure	ed according	g to: 🔀 ISO 7779 🔀		==			
	I		Other	(only if not covered	d by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	Model number * CX921de, CX927de, XC9235		Logo			■ TN				
Issue date	*	Existing publication	n date on original file	(revised (Oct 28 th , 2020)			Lex	mar	^K
	environ	mental attributes	 Market requirement 	its (conti	inued)			Require		
Item	<u> </u>		1.1. 1.10		<u> </u>			Yes	No n	.a.
D40.0*			printing products (See			Data dana			_	_
P10.2*		rrormed according to nic Equipment (ISO/II	ECMA-328 Determination			Rates from		\boxtimes		Ш
P10.3			C 28360) , other spinon phase) is (mg/h):	ecily. KAL	UZ 2 05					
1 10.5	• •		. , , , , , ,							
	Electrop	ohotographic devices	Ozone <i>0.23 (LOQ)</i> D	ust 1.42 S	Styrene 0.44 B	enzene <i>0.01</i> 1	ΓVOC 8.57			\parallel
	Ink devices: Dust Styrene Benzene TVOC									
		<u> </u>	num emission rates in e	co labels t	o be declared i	n P14.				
P11		mable materials for					danal (na n D4 0)		_	
P11.1*			s available for the ink/to					<u>X</u>	<u> </u>	ᆜ
P11.2*	EN 122	81.	mer recycled fibers can			t meets the re	quirements of		<u>Ц</u>	
P11.3*			ying is an integrated pro					\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default auto	o-duplex e	nabled.			\boxtimes		
P13		ing and documenta								
P13.1*	Product packaging material type(s): Corrugated weight (kg): 14.7 Product packaging material type(s): Plastic - PE weight (kg): 0.295 Product packaging material type(s): Expanded Poylstyrene weight (kg): 1.61 Wood 9.5 kg									
P13.2*	Plastic LDPE 0.24 kg Product plastic primary packaging is free from PVC.									
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: **Recycled content > 25% %**									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally of	chlorine-free								
	Elemen	tal chlorine-free								
	Process	sed chlorine-free								
P14	Volunta	ary programs:								
P14.1	The pro	duct meets the require	ements of the following	voluntary	program(s):					
		Y STAR® el: <i>Blue Angel</i>	Criteria version: 3.0 2014 Criteria version: Jan. 2017 Criteria version:		Date: Oct. 205 Date: Date:	Product of printing	category: Imagin category: Office function category:			
P15		nal information (Sec			<u> </u>	1 TOUGET	oatogory.			
	P2.1 - 1 properl P2.3 - 1 the cus	The battery containe by labeled with the W The battery containe tomer; however, is	d within this product s /EEE disposal symbol d within this product r designed for easy rem lls are marked with abbr	and instr neets the loval by re	ructions for su exception list ecyclers and s	ich disposal i ted. The batte service provid	is listed in the pery is not intend ders.	roduct Use led to be re	er's Gu emoved	d by
			ıs are marketi witti dDDI	eviations	anu numbers l	naicaung me i	nature of the inat	eriai(s) use	u wnen	1
	they ar	_								
			omine may be present in		ue to sourcing _l	post-consume	er recycled conte	nt. No bron	nine wa	15
		•	processing of these pa	rts.						
	P7.20 -	Per IEEE 1680.2 P	CR calculation							
	P10.3 -	Color values abov	re, monochrome valu	es are n/	'a					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B 1

Reference	Declaration item
Directive 2011 / 65 / EU (Ro HS Directive) * * Sp ec i f i c e xem pt ions ap pl y for c e r tai n pr od uc t s and appl i c at ions .	P1.1,P4.1
(EC) 1907 / 2006 (REACH, Annex XVII	P1.2,P1.4,P1.6,P1.7,P4.2
Regulation (EC) No. 2037 / 2000 , 2038 / 2000 , 2039 / 2000 , (Marketing and use of Ozone layer depleting substances)	P1.3,5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20 . 12 .2002	P1.5
"REACH" Regulation (1907 / 2006) , annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connect ion bet we en the appliance and the battery or accumulator.	P2.1,P2.2,P2,3,P8.1
Directive 2006 / 95 / EC (Low Voltage Directive)	P3.1
Directive 2004 / 108 / EC (EMC Directive)	P3.1
Directive 1999 / 5 / EC (R& TTE Directive)	P3.1
Regulation (EC) 801 / 2013 amending Regulation (EC) No 1275 / 2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulati on (EC) No 642 / 2009 with regard to ecodesign requirements for televis ions	P3.1,P3.2
Regulation (EC) 1907 / 2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272 / 2008 (CLP Regulation)	P4.3,P7.19
Directive 2004 / 12 / EC (Packaging Directive)	P5.1
Decision 97 / 129 / EC (Secondary packaging I egislation)	P5.2
Directive 2012 / 19 / EU (W EEE directive)	P 6 . 1