

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Troy Foster (USA)	LEXMARK
	Email: Sustainability@lexmark.com	ТМ
Internet site *	www.lexmark.se/www.lexmark.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	pe of product * Multifunction Mono Laser Device				
Commercial name *	exmark MX911de, Lexmark MX911dte, Lexmark XM9155				
Model number *	MX911de, MX911dte, XM9155				
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	MX911de, MX911dte, XM9155		
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)	Logo	LEXMARK

Product	Require	met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than, 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	X		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).			
1 1.2	Comment: Legal reference has no maximum concentration value.	\times	Ш	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
1 1.5	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\times		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values.		_	
P1.4	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes	Ш	
D4 C*	terphenyl (PCT) in preparations (see legal reference).		_	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\times		
D4.0*	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
5.1-	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			\times
	microgram/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550	_	_	_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square	$\overline{}$	
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	ш
P2 3* Ratt	reries and accumulators are easily removable by either users or service providers (as dependent on the design	n 🔀		
1 2.0 Ball	of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data			ш
	integrity reasons do not have to be "easily removable". (See legal reference)	•		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		$\overline{}$	
	, , , , , , , , , , , , , , , , , , , ,			 _
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\times		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
F3.3	with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		Ш
P3.4*				
	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	\times		
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\times		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	X		
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these		ш	ш
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			
. 0.1	hexavalent chromium by weight of these together.		ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\overline{}$		
			+	-
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu		MX911de, MX911dte, XM9155		_		
Issue date *		Existing publication date on original file (revised Oct 28th, 2020)		LEXMARK		
			*			
Product environmental attributes - Market requirements - Environmental conscious design Re						met
Item	*=manda	story to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		nt information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design					
D7 1*		mbly, recycling t have to be treated separately are easily separable			_	_
P7.1*	· · · · · · · · · · · · · · · · · · ·					
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts >100g consist of one material or of easily separable materials.			Щ.	Щ.
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		Щ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly avail	ilable tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:				
D= 10	Material	type: PC+PET Material type: PC+ABS Material ty	/pe:			
P7.12		cable insulation materials of power cables are PVC free.		<u> <u> </u></u>	X	Щ.
P7.13		cable insulation materials of signal cables are PVC free			\boxtimes	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)					
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	i):			
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g	g according			
P7.18		tarded plastic parts >25g contain the following flame retardant substances/preparation ations above 0.1%:	ns in			
	1. Chemi	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(40)					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,			
P7.20		plastic parts' weight >25g, recycled material content is less than 1%.				
P7.21		plastic parts' weight >25g, biobased material content is %.				
P7.22	If mercur	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
DΩ	Rattorio					

Battery chemical composition: Lithium Manganese Dioxide, LiMnO2

Batteries meet the requirements of the following voluntary program/s:

P8.1*

P8.2

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MX911de, MX911dte, XM9155		
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)	Logo	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met								
Item	Yes No n.a					No n.a	ì.	
O.	P9 Energy consumption							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *		
Printing		917 W	879 W	971 W		Corporate Standard		
Copying		947 W	931 W	891 W		Corporate Standard		
Ready Mode		215 W	194 W	212 W		Energy Star I E V3.0		
Sleep Mode		3.3 W	3.3 W	3.5 W		Energy Star I E V3.0		
Hibernate Mode		0.51 W	0.52 W	0.53 W		IEC 62301		
Off Mode		0.0 W	0.0 W	0.0 W		EC 62301		
EPS No-load (External power su charger plugged in outlet but disconne the product.)	the wall	W	W	W				\boxtimes
PTEC * Typical Energy Col	nsumption	W	W	W				
TEC * Typical Energy Col	nsumption	1.48 kWh/week	1.46 kWh/week	1.48 kWh/weel	k	Energy Star I E V3.0		
ETEC * Annual Energy Cor	nsumption	kWh/year	kWh/year	kWh/ye	ar			
Display resolution*	: Me	gapixels		•				
Print Speed *	: 55 Images	s per minute				Corporate Standard		
Default time to ente	er energy sav	ve mode: 15 minutes	mode: 15 minutes			Energy Star I E V3.0		
P9.2* Informa	ation about th	ne energy save function	n is provided with th	ne product.				
ENER(Others	GY STAR® v specify: <i>RAI</i>	the energy requirement version: 3.0 Tier: 1 Prod L-UZ 171				X		
P10 Emiss		Darland a configuration	100 0000					
P10.1 Mode		Declared according to lode description	150 9296	Declared A-weighted sound power level L_{WAd} (B)		Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB) rator position Bystander position Desktop or Desk side (only if product is r	not	
Idle	*	Ready		* 4.8		operator attende	ed) 	_
Operat		Duplex Monochrome	Printing	* 7.2		<u>55</u>	}	\dashv
Other r		ADF Mono Scan		7.4		56	⊣ ՝	_
Measu			ECMA-74		•		\neg	
						n measurement distance m)		
P10.2 The pro	oduct meets	the acoustic noise requ	uirements of the fol	lowing voluntary	progra	am/s: <i>RAL-UZ 171</i> 🔀 🗍		П

Model number *	MX911de, MX911dte, XM9155		_
Issue date *	Existing publication date on original file (revised Oct 28th, 2020)	Logo	LEXMARK

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No n	ı.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ 171	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust 1.62 Ozone 0.11 Styrene 0.424 Benzene 0.012 TVOC 4.283			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust 🛛 Ozone 🗵 Styrene 🔀 Benzene 🔀 TVOC 🔀			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		<u>Ц</u>	<u></u>
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.		Ш	Ш
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\times
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\times
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Wood (roll off) weight (kg): 12.597			
	Product packaging material type(s): Corrugated (roll off) weight (kg): 11.013			
	Product packaging material type(s): PS expanded (roll off) weight (kg): 0.974			
	LDPE/LDPE expanded (roll off) - 0.7841 kg			
	Paper/Paperboard (roll off) - 0.12 kg			
	PP/PP expanded - 0.086 kg			
P13.2*	Metal (roll off) - 0.034 kg Product plastic packaging is free from PVC.		$\overline{}$	$\overline{}$
	, , , , , , , , , , , , , , , , , , , ,	\boxtimes		屵
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
P1.1	This product uses RoHS exemptions for lead used in small amounts for specific application	ons.		
P2.1	The battery contained within this product should be disposed of properly with the product.		luct i	•
12.1	properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in			•
	User's Guide.	inc proud		
	Osci 3 Guide.			
P2.3	The battery contained within this product meets the exception listed. The battery is not inten removed by the customer; however, is designed for easy removal by recyclers and service p	ded to be		
	removed by the education, hencetel, is designed for educy familiar by receptable that control p			
P7.14	A small amount of bromine may be present in covers due to sourcing post consumer recycled of bromine was intentionally added in the processing of these parts.	ontent. N	lo	
P7.20	Per IEEE 1680.2 PCR calculation			
D42.4	D42.4 Non-vell off-neckering			
P13.1	P13.1 Non-roll off packaging: Wood - 7.8 kg			
	Corrugated 9.56 kg			
	PS expanded - 1.331 kg			
	LDPE / LDPE expanded - 0.3701 kg			
	Paper / Paperboard - 0.12 kg			
	PP / PP expanded - 0.055 kg Metal - 0.034 kg			
	INIGIAI - 0.034 NY			
	Additional company information and company environmental policy may be found at			
	http://lexmark.com/environment			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle
Lexmark Sweden is connected to REPA and El-kretsen

Legal references Europe Annex B

Reference	Declaration item
2002 / 95 / EC (ROHS Directive)	P1.1,P4.1
REACH, Annex XVII	P1.6,P1.8,P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037 / 2000 , 2038 / 2000 , 2039 / 2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20 . 12 .2002	P1.5
2006 / 66 / EC (Battery and accumulators Directive)	P2.1,P2.2,P2,3,P3.4,P8.1
2006 / 95 / EC (Low Voltage Directive)	P3.1,3.4
2004 / 108 / EEC (New EMC Directive)	P3.2,3.4
1999 / 5 / EC (R& TTE Directive)	P3.3,3.4
"REACH" Regulation(1907 / 2006), annex VII	P1.10
(EC) No. 1272 / 2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex I I	P4.3
2004 / 12 / EC (Directive on packaging and packaging waste)	P5.1
(97 / 129 / EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037 / 2000 / EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002 / 96 / EC (W EEE directive)	P3.4,P6.1
(EC) No. 1272 / 2008 regulation on classification , labeling and packaging (CLP) $$	P7.19