



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information *	Troy Foster (USA)	TM
e-mail address	Email: Sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	•
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemer	conforms to the statements given in this declaration.				
Type of product *	Single-function Color Laser Device				
Commercial name *	Lexmark [CS431dw, C3426dw, C2326]				
Model number *	CS431dw, C3426dw, C2326				
Issue date *	30 April 2020 – Updated 4 June 2021				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements

5

Model number *	CS431dw, C3426dw, C2326	Logo	I N
Issue date *	30 April 2020 – Updated 4 June 2021		Lexmark

Produc	t environmental attributes - Legal requirements	Require	emen	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	$\overline{\boxtimes}$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		$\overline{}$	
F 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
1 1.0	(see legal reference).		Ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	REACH Program Manager (Sustainability @lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington,		ш	
P2	KY 40550 Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)		ш	ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL): https://csr.lexmark.com/product-certifications.php			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\boxtimes		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\square		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	()		
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal			
1 0.0	Protocol (see legal reference).		Ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
	2.7.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CS431dw, C3426dw, C2326	Logo	1.00
Issue date *	30 April 2020 – Updated 4 June 2021		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requirement me		
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
77	Design			
D7 4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
² 7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>PC+ABS</i> Material type: <i>HIPS</i>			
P7.12	Insulation materials of external electrical cables are PVC free.		\geq	
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\geq	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
P7.18	according ISO 1043-4: FR16 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	2. Chemical harne: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CS431dw, C3426dw, C2326	Logo	Ι**
Issue date *	30 April 2020 – Updated 4 June 2021		Lexmark

Product (environmental attr	ributes - Market re	quirements (contin	ued)	R	equire	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (continued)					
P7.20*	•	•	ontent is used in the pro	,				
	a) Of total plastic		below shall be answer he postconsumer recyclis %.		entent (calculated as a			
	or	ecycled material is	g.					
P7.21*			in the product (See NO	TE B7):			\square	
	If YES; at least one a) Of total plastic total plastic by or	of the two alternatives parts' weight > 25 g,	below shall be answer the biobased plastic m	red;	ated as a percentage of			
P7.22*	Light sources are fre		ess than 0,1 mg/lamp.	m mercury content pe	r lamp: mg			
P8	Batteries							
P8.1*	Battery chemical cor	mposition: <i>Lithium M</i>	anganese Dioxide (Lil	MnO2)				
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the f	ollowing power levels	or energy consumption	ns are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	e for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				\boxtimes
TEC produ	for ENERGY STAR lets (TEC= Typical nsumption)	kWh/week	0.34 kWh/week	0.36 kWh/week	Energy Star I E V3.0			
Printing		W	394.7 W	387.5 W	Corporate Standard			
Ready Mo	de	W	15.73 W	16.65 W	Energy Star I E V3.0			
Sleep		W	1.12 W	1.19 W	Energy Star I E V3.0			
Off		W	0.04 W	0.08 W	IEC 62301			
		W	W	W				
		W	W	W				
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Prot	tocol) *:				\boxtimes
Print/Scan	Speed * : :	26 images per minute			ISO 24734			
Default tim	e to enter energy sav	e mode: 15 minutes			Energy Star I E V3.0			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.	•	\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS431dw, C3426dw, C2326	Logo	
Issue date *	30 April 2020 – Updated 4 June 2021		Lexmark

Product 6	environmental a	attributes -	Market requirements (c	continued)		Requirement met		
Item						Yes	No	n.a.
P10	Emissions							
			ccording to ISO 9296 (See					
P10.1	Mode	Mode descr	iption		nit A-weighted sound power	evel,		
				$L_{WA,d}$ (B)				
	Idle	* Idle / Rea	dv	* 3.1				
	Operation		onochrome Printing	* 6.5				X
	Other mode		onochrome Printing	6.6				
		•		0.0				
	Measured accord	ding to: 🔼 IS	SO 7779 ECMA-74					
			Other	(only if not covered b	y ECMA-74)			
D40.0*			inting products (See NOT		to a frame Electronia			
P10.2*	•		CMA-328 Determination of		ites from Electronic		Ш	Ш
D40.0	Equipment (ISO/		, other specify: RAL-UZ 2	05				
P10.3	i ypicai emission	rate (operati	on phase) is (mg/h):					ш
	Electrophotograp	shie dovices:	Ozone <1.33 (LOQ) Dust 0	29 Styrono 0 155 Bon	7000 <0.012 (LOO) TVOC			
	7.206	ornic devices.	02011e < 7.33 (200) Dust 0.	.20 Styrene 0.755 Benz	zene <0.072 (EOQ) 1 VOC			H
								ш
			. .	<u> </u>	71/00			
	Ink devices:		Dust	Styrene Ben	zene TVOC			
	NOTE: complian	ce with maxir	num emission rates in eco la	abels to be declared in	P14.			
P11			rinting products	220.0 10 20 400.4.04				
P11.1*			available for the ink/toner pr	reparation, even if not I	egally required (see P4.3).	\square		
P11.2*	Paper containing	post-consun	ner recycled fibers can be us	sed, provided that it me	ets the requirements of	\square	Ħ	$\overline{\Box}$
D44.0*	EN 12281.			• •			_	
P11.3*			ing is an integrated product				<u>Ц</u>	Щ
P11.4*	•		d-user with default auto-dup	lex enabled.		\boxtimes		Ш
P13	Packaging and			1.1.4. \ 1.0000				
P13.1*			pe(s): corrugated	weight (kg): 1.9600 weight (kg): 0.0207				
	Product packagir Product packagir			weight (kg): 0.0207				
	Product packagir			weight (kg):0.015				
			pe(s): HDPE/LDPE mix	weight (kg):0.0890				
	Product packagir			weight (kg):0.5050				
	Product packagir			weight (kg):0.0150				
	Product packagir	ng materiai ty	pe(s): Wixed	weight (kg):0.0048				
P13.2*	Product plastic p	rimary packa	ging is free from PVC.			\square		
P13.3*			d fiberboard packaging, spe	cify the contained perc	entage of minimum post-			Н
	consumer recove	ered fiber con	tent: Recycled content >	25 %				
P13.4*	Specify media fo	r user and pr	oduct documentation (tick bo	ox):				
	Electronic 🔀, P							
P13.5			m if paper documentation us					
	If Yes, please sp		ion on paper media is chlori	ne-tree:				
	ii res, piease sp	ecily.						
	Totally chlorine-f	ree						
	Elemental chloring	ne-free						
	Processed chlori	ne-free						
P14	Voluntary progr	rams:						
P14.1	The product mee	ets the require	ements of the following volur	ntary program(s):				
	ENERGY OTAS	a	Oultania canalas a 0.0	Date: 0-1 0010	Due donat ante como des	a. Carrier		
	ENERGY STAR® Eco-label: Blue	-	Criteria version: 3.0 Criteria version: RAL UZ-20	Date: Oct. 2019 Date: Jan. 2017	Product category: Imaging Product category: Office			
	Loo-label. Dide	nigei	Omona voision. NAL UZ-Z	Date. Jan. 2011	Printing Function	-quipinell	. willi	
	Eco-label:		Criteria version:	Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	CS431dw, C3426dw, C2326	Logo	1 12
Issue date *	30 April 2020 – Updated 4 June 2021		Lexmark

Produc	t environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The pro properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the	duct is product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers	be removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the m they are >25g	aterial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled cont intentionally added in the processing of these parts.	tent. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P1.1, P3.1, P4.1 P1.2, P1.4, P1.6, P1.7, P4.2 P1.5 P1.6 P1.7 P1.7 P1.7 P1.7 P1.7 P1.7 P2.7 P2.7	Reference	Declaration item
Regulation), annex XVII Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P1.10 P4.3 P4.3 P1.3, P5.3 P1.5 P2.1, P2.2, P2.3, P8.1 P2.1, P2.2, P2.3, P8.1	* Specific exemptions apply for certain products and	P1.1, P3.1, P4.1
Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P4.3 P1.3, P5.3 P1.5 P2.1, P2.2, P2.3, P8.1 P2.1, P2.2, P2.3, P8.1		P1.2, P1.4, P1.6, P1.7, P4.2
Regulation), Article 31, annex II) Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P1.3, P5.3 P1.5 P2.1, P2.2, P2.3, P8.1 P2.1, P2.2, P2.3, P8.1		P1.10
2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P1.5 P2.1, P2.2, P2.3, P8.1 P3.1		P4.3
of certain dangerous chemicals 20.12.2002 Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P2.1, P2.2, P2.3, P8.1 P2.1, P2.2, P2.3, P8.1	2038/2000, 2039/2000, (Marketing and use of Ozone	P1.3, P5.3
Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. Directive 2014/35/EU (Low Voltage Directive) P3.1		P1.5
	Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or	P2.1, P2.2, P2.3, P8.1
	Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive) P3.1	Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive) P3.1	Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP P4.3, P7.19 Regulation)	Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive) P5.1	Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation) P5.2		

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each	