



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information *	Troy Foster (USA)	TM.
e-mail address	Email: Sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		_

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Single-function Mono Laser Device					
Commercial name *	Lexmark [MS431dn, MS431dw, B3442dw, M1342]					
Model number *	MS431dn, MS431dw, B3442dw, M1342					
Issue date *	30 April 2020 – Update 4 June 2021					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	MS431dn, MS431dw, B3442dw, M1342	Logo	TM
Issue date *	30 April 2020 – Update 4 June 2021		<b>Lexmark</b>

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).			
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):  REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html">http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html</a>			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is;  given in item P15 or added to this document,  available at (add URL): <a href="https://csr.lexmark.com/product-certifications.php">https://csr.lexmark.com/product-certifications.php</a>			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
26	Comment: Legal reference has no maximum concentration values.			
<b>P6</b> P6.1*	Treatment information  Information for recyclers/treatment facilities is available (see legal reference).			
	miormation for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MS431dn, MS431dw, B3442dw, M1342	Logo	TH
Issue date *	30 April 2020 – Update 4 June 2021		<b>Lexmark</b>

	roduct environmental attributes - Market requirements (See General Note GN below) - Environmental conscious design Requ						
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes		n.a.			
7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$					
<sup>2</sup> 7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$					
<sup>2</sup> 7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$					
<sup>2</sup> 7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{X}$					
	Product lifetime						
<sup>2</sup> 7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$					
P7.8 <b>*</b>	Upgrading can be done using commonly available tools						
P7.9	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: ABS Material type: PC+ABS Material type: HIPS						
27.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$				
27.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		$\boxtimes$				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	$\boxtimes$					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:  Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
P7.18	according ISO 1043-4: FR16  Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "						
	2. Chemical harite. , CAS #.  3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  FR16, FR17, FR30, FR40,						
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number	* MS431dn, MS431dw, B3442dw, M1342	Logo	
Issue date *	30 April 2020 – Update 4 June 2021		Lexmark

<b>Product</b>	environmental atti	ributes - Market re	quirements (contin	ued)	Re	equire	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):				
			s below shall be answer he postconsumer recyc		ntent (calculated as a			
		otal plastic by weight)			(1111)			
D7.04*	b) The weight of r	ecycled material is	g.	TE D7)				
P7.21*			in the product (See NO					
		parts' weight > 25 g,	s below shall be answer the biobased plastic ma		ated as a percentage of			
	or	he biobased plastic m	aterial is g.					
P7.22*	Light sources are fre	ee from mercury, i.e. le	ess than 0,1 mg/lamp.					
	<u> </u>	pecify: Number of lam	ps: and maximul	m mercury content pe	r lamp: mg			
P8	Batteries		annonana Diavida /I il	M=00)				
P8.1*	Battery chemical cor	mposition: Littilum Ma	anganese Dioxide (Lil	vinO2)				
P9	Energy consumption	<u> </u>						
P9.1	For the product the	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method		nergy	
	le for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				
TEC produ	for ENERGY STAR licts (TEC= Typical nsumption)	kWh/week	0.45 kWh/week	0.47 kWh/week	Energy Star I E V3.0			
Printing		W	<b>554.1</b> W	<b>535.5</b> W	Corporate Standard			
Ready Mo	de	W	<b>4.67</b> W	4.85 W	Energy Star I E V3.0			
Sleep		W	<b>0.84</b> W	<i>0.88</i> W	Energy Star I E V3.0			
Off		W	0.04 W	<b>0.06</b> W	IEC 62301			
		W	W	W				
		W	W	W				
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Prot	tocol) *:				$\boxtimes$
Print/Scan	Speed *	42 images per minute			ISO 24734			
	e to enter energy sav				Energy Star I E V3.0			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	MS431dn, MS431dw, B3442dw, M1342	Logo	174
Issue date *	30 April 2020 – Update 4 June 2021		Lexmark

Product 6	environmental a	attributes ·	Market requireme	ents (co	ntinued)				Require	ment	met
Item									Yes	No	n.a.
P10	Emissions										
			according to ISO 9296	6 (See NO							
P10.1	Mode	Mode desc	ription			oer limit A	Aweighte	d sound power	level,		
					$L_{WA,d}$ (B)						
	Idle	* Idle / Rea	ndv		* 3.1						
	Operation		lonochrome Printing	7	* 6.4						X
	Other mode		Monochrome Printin		6.8						
			SO 7779 X ECMA-7								
	Weasured accord	unig to. 🔼 i	Othe		only if not cove	ared by F	-CMΔ-74	)			
	Chemical emiss	sions from r	rinting products (Se			oled by L	-CIVIA-14	·)			
P10.2*			ECMA-328 Determina			on Rates	s from El	ectronic			
	•	-	, other specify: RA								
P10.3			ion phase) is (mg/h):								
	,,	(-)	, , , , , , , , , , , , , , , , , , , ,								
	Electrophotograp	ohic devices:	Ozone <0.13 (LOQ)	Dust 0.2	5 Styrene <i>0.12</i>	<b>7</b> Benzer	ne <0.012	2 (LOQ) TVOC			
	2.206										
	Ink devices:		Dust	9	Styrene	Benze	ne	TVOC			
	401.000.		2401	•	21,7.00	2020					
			mum emission rates i	n eco lab	els to be decla	red in P1	4.				
P11			printing products								
P11.1*			available for the ink/								Щ
P11.2*		post-consu	mer recycled fibers ca	an be used	d, provided tha	t it meets	s the requ	uirements of	$\boxtimes$		
P11.3*	EN 12281.	printing/copy	ving is an integrated p	roduct fu	action						
										-	-
P11.4*	•		nd-user with default a	uto-aupie:	x enabled.						
P13	Packaging and				(1.2).0.0000						
P13.1*	Product packagir		/pe(s): corrugated		(kg):0.9620 (kg): 0.016						
	Product packagir				(kg): 0.0835						
	Product packagir				(kg): 0.0077						
	Product packagir				(kg): 0.0078						
	Product packagir				(kg): 0.1060						
	Product packagir Product packagir				(kg): 0.0086 (kg): 0.0059						
	r roddot paortagii	ng matemart	(po(o): <b>xo</b>	worgine	(ng). 0.0000						
P13.2*	Product plastic p	rimary packa	aging is free from PVC	).					$\boxtimes$		
P13.3*	For product prima	ary corrugate	ed fiberboard packagi	ng, specif	y the contained	d percen	tage of n	ninimum post-			
			ntent: Recycled cont								
P13.4*			roduct documentation	(tick box)	):						
5.0.	Electronic , P										
P13.5			m if paper documentation on paper media is								
	If Yes, please sp		lion on paper media i	s chionne	-iiee.						
		-									
	Totally chlorine-f								$\boxtimes$		
	Elemental chlorin										
	Processed chlori	ne-free									
P14	Voluntary progr										
P14.1	The product mee	ets the requir	ements of the following	ng volunta	ry program(s):						
	ENERGY STAR	R)	Criteria version: 3.0		Date: Oct. 2	019	Product c	ategory: Imagii	na Fauinm	ent	
	Eco-label: Blue	-	Criteria version: RAL	L <b>UZ-205</b>				ategory: <b>Office</b>			
		_				F	Printing	Function			
	Eco-label: Criteria version: Date: Product category:										

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

Model number *	MS431dn, MS431dw, B3442dw, M1342	Logo	174
Issue date *	30 April 2020 – Update 4 June 2021		Lexmark

<b>Produc</b>	t environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product.	duct is product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers	be removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the methey are >25g	aterial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts.	ent. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.  Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each	Directive 2012/19/EU (WEEE directive)	P6.1
establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic	the format for registration and reporting of producers	
Member State	establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each	