



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo	
Company name *	Lexmark International,		TM.
Contact information *	Troy Foster (USA)		Lexmark
e-mail address	Email: Sustainability@lexmark.com		LCAIIIGIN
Internet site *	www.lexmark.com/TED and csr.lexmark.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Single Function Monochrome laser devices				
Commercial name *	exmark B2236dw				
Model number *	B2236dw				
Issue date *	15 April 2019 - (Updated June 17, 2021)				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	B2236dw	Logo	TM
Issue date *	15 April 2019 - (Updated June 17, 2021)		Lexmark

Product	Product environmental attributes - Legal requirements				
Item		Yes No n.a.			
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)				
P1.2*	Products do not contain Asbestos (see legal reference).				
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes \square			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square			
	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	∍			
D4 0*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square			
	sustainability@lexmark.com				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal				
	symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)				
	, , ,				
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).				
P3.1	The Declaration of Conformity can be requested at (add link or e-mail address):	\boxtimes \sqcup \sqcup			
	www.lexmark.com/regulatory				
P3.2*	The product complies with the Eco design requirements for energy-related products,				
	(see legal reference).				
	Required information is;	\boxtimes \sqcup \sqcup			
	available at (add URL): www.lexmark.com/regulatory				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see				
P4.2*	legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to	\boxtimes \sqcup \sqcup			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available				
	(see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and				
DE C*	hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) <u> </u>			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco				
	(see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	B2236dw	Logo	19
ssue date *	15 April 2019 - (Updated June 17, 2021)		Lexmark

Product environmental attributes - Market requirements (See General NOTE GN below)		
	Requiremen	t met
Item *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No	
P7 Design	100 110	
Disassembly, recycling		
P7.1* Parts that have to be treated separately are easily separable		
P7.2* Plastic materials in covers/housing have no surface coating.		
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes	
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	
Product lifetime		
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives		
P7.8* Upgrading can be done using commonly available tools		\times
P7.9. Spare parts are available after end of production for: years		
P7.10 Service is available after end of production for: years		
Material and substance requirements		
P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):		
Material type: plastics Material type: Material type: P7.12 Insulation materials of external electrical cables are PVC free.		
		<u> </u>
P7.13 Insulation materials of internal electrical cables are PVC free.		<u> </u>
P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than		
25% post-consumer recycled content.		
P7.15 Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		
as defined in IEC 61249-2-21. (See NOTE B2)		_
P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:		
P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		
TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		
Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		
P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in		
concentrations above 0,1%:		
1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		
3. Chemical name: , CAS #: "		
Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		
P7.19 In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		
assigned the following Risk phrases; and Hazard statements:		_
The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		
P7.20* Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered;		
a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a		
percentage of total plastic by weight) is %.		
or b) The weight of recycled material is g.		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	er * B2236dw				Logo	
Issue date	e date * 15 April 2019 - (Updated June 17, 2021)						
Product	Product environmental attributes - Market requirements (continued) Requirement m						
Item					•	Yes No n.a.	
D= 0.11	Material and substance requirements (continued)						
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
		al plastic by			(and a de a personnage of	
	or b) The	e weight of t	the biobased plastic m	aterial is g.			
P7.22*			ee from mercury, i.e. le pecify: Number of lam		np. imum mercury content pe	er lamp: mg	
P8	Batterie	s					
P8.1*	Battery of	hemical co	mposition:				
P9			on (See NOTE B8)				
P9.1	For the p	product the	following power levels	or energy consump	otions are reported:		
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Sleep mod STAR® Op (OM) produ	perational		W	W	W		
Standby/of	tandby/off mode for W W W NERGY STAR Operational						
TEC value for ENERGY STAR TEC products		kWh/week	0.54 kWh/week	0.56 kWh/week	Energy Star V3.0		
(TEC= Typ	ical Energ	ЭУ)A/	0.014	0.014		
Ready			W	3.8 W	3.9 W	Corporate Standard	
Sleep			W	1.15 W	1.21 W	Energy Star V3.0	
Off			W	0.03 W	0.08 W	Energy Star V3.0	
Printing			W	450 W	444 W	Corporate Standard	
			W	W	W		
			W	W	W		
External P	ower Supp	oly Efficienc	y Level (International	Efficiency Marking I	Protocol) *:		
Print/Scan	Print/Scan Speed * : 34 images per minute						
	Default time to enter energy save mode: 15 minutes Energy Star V3.0						
P9.2*	P9.2* Information about the energy save function is provided with the product.						
P10							
P10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, LWA,c (B)						
	Idle * Idle / Ready / Sleep / Hibernate * 3.1						
	Operation * Simplex Monochrome Printing * 6.8						
	Other m	ode	Duplex Monochrome	Printing	6.5		
	Measure	ed according	g to: X ISO 7779 X	ECMA-74 (only if not covered	by FCMA-74)		

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	el number * B2236dW		Logo			79				
Issue date	*	15 April 2019 - (Up	dated June 17, 2021)				Lexmark			
Product	Product environmental attributes - Market requirements (continued) Requirement met							met		
Item			<u> </u>	,			Yes		n.a.	
	Chemical emissions from printing products (See NOTE B10)									
P10.2*	•	-	ECMA-328 Determinatio	n of Chemical Emiss	ion Rates from	Electronic	\times			
		ent (ISO/IEC 28360)								
P10.3	Typical	emission rate (operat	ion phase) is (mg/h):							
	Electrop	hotographic devices:	Ozone < 0,23 Dust 0,8	4 Styrene 0,06 E	Benzene 0,016	TVOC 5,635				
	Ink devi	ces:	Dust	Styrene	Benzene	TVOC			$\overline{\boxtimes}$	
	Note: co	ompliance with maxim	num emission rates in eco	n lahels to he declar	ed in P14					
P11		nable materials for p		o labolo to bo accian	Juli 11.					
P11.1*			available for the ink/tone	er preparation, even	if not legally re	quired (see P4.3).		$\overline{\Box}$		
P11.2*			umer recycled fibers car	n be used, provided	that it meets	the requirements of	f	\Box	T	
P11.3*	EN 122		ying is an integrated prod	luct function				$\overline{}$		
P11.4*			nd-user with default auto-				X	쓔	+	
				-duplex enabled.				<u> Ш</u>		
P13.1*	Packaging and documentation Product pooling metarial type (a): Correspond Contact (Kraft pages) Augist (kg): 4.23									
1 13.1	P13.1* Product packaging material type(s): Corrugated Carton (Kraft paper) weight (kg): 1.23 Product packaging material type(s): Corrugated Carton weight (kg): 1.3 Product packaging material type(s): weight (kg):									
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*										
P13.4*	* Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:									
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free									
P14	Volunta	ary programs:								
P14.1	The pro	duct meets the requir	ements of the following v	oluntary program(s)	:					
	ENERGY STAR® Criteria version: V3.0 Date: Product category: Imaging Equipment									
	Eco-label: Criteria version: Date: Product category:									
D45	Eco-lab		Criteria version:	Date:	Produ	ct category:				
P15	Additio	nal information (See	NOTE B11)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * *Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037 / 2000 , 2038 / 2000 , 2039 / 2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013 / 56 / EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801 / 2013 amending Regulation (EC) No 1275/ 2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907 / 2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1