



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information *	Troy Foster (USA)	TM
e-mail address	Email: Sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	•
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multi-function Color Laser Device				
Commercial name *	Lexmark [MC3326adwe, CX331adwe, MC3326i]				
Model number *	MC3326adwe. CX331adwe, MC3326i				
Issue date *	10 July 2020 – Updated 30 September 2021				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	MC3326adwe, CX331adwe, MC3326i	Logo	124
Issue date *	10 July 2020 - Updated 30 September 2021		Lexmark

Product	environmental attributes - Legal requirements	Require		met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document,			
P4	available at (add URL): https://csr.lexmark.com/product-certifications.php Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0.01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging	<u> </u>		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MC3326adwe, CX331adwe, MC3326i	Logo	1.00
Issue date *	10 July 2020 – Updated 30 September 2021		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requ	irem	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
77	Design			
D7 4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u>L</u>	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
₽7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
² 7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7 *	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PC+ABS Material type: HIPS			
P7.12	Insulation materials of external electrical cables are PVC free.		\succeq	
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\geq	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
P7.18	according ISO 1043-4: FR16 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "] 🗆
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	MC3326adwe, CX331adwe, MC3326i	Logo	M
Issue date *	10 July 2020 – Updated 30 September 2021		Lexmark

Product (environmental attı	ributes - Market re	quirements (contin	ued)	R	equire	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):				
	If YES; at least one a) Of total plastic	of the two alternatives parts' weight > 25 g. t	s below shall be answer he postconsumer recyc	red; cled plastic material co	ntent (calculated as a			
		otal plastic by weight)			(
	b) The weight of r	ecycled material is	g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See NO	TE B7):		Ш		Ш
		parts' weight > 25 g,	s below shall be answer the biobased plastic ma		ated as a percentage of			
		he biobased plastic m	aterial is g.					
P7.22*		ee from mercury, i.e. le becify: Number of lam	ess than 0,1 mg/lamp. ps: and maximu	m mercury content pe	r lamp: mg			
P8	Batteries							
P8.1*	Battery chemical cor	mposition: <i>Lithium M</i>	anganese Dioxide (Lil	MnO2)				
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the f	following power levels	or energy consumption	ns are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	e for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				\boxtimes
TEC produ	for ENERGY STAR acts (TEC= Typical nsumption)	kWh/week	0.327 kWh/week	0.351 kWh/week	Energy Star V3.0			
Printing		W	382.3 W	376.5 W	Corporate Standard			
Ready Mo	de	W	16.81 W	16.24 W	Energy Star V3.0			
Сору		W	366.1 W	358.3 W	Corporate Standard			
ADF Scan		W	19.3 W	22.8 W	Corporate Standard			
Sleep		W	1.033 W	1.145 W	Energy Star V3.0			
Off		W	0.052 W	0.042 W	IEC 62301			
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Prot	tocol) *:				X
Print/Scan	Speed * :	26 images per minute			ISO 24734			
	e to enter energy sav				Energy Star V3.0			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MC3326adwe, CX331adwe, MC3326i	Logo	
Issue date *	10July 2020 – Updated 30 September 2021		Lexmark

Product	environmental	attributes ·	Market requirements (co	ntinued)			Require	ment	met
Item							Yes	No	n.a.
P10	Emissions								
			according to ISO 9296 (See NC						
P10.1	Mode	Mode desc	ription	Statistical upper lim $L_{WA,c}$ (B)	nit A-weigh	ted sound power l	evel,		
	Idle	* Idle / Rea	dv	3.1					
	Operation		lonochrome Printing	6.4					+
	Other mode		lonochrome Printing	6.5					
	Measured accord	ding to: 🔀 I	SO 7779 X ECMA-74						
		_		only if not covered b	y ECMA-7	' 4)			
	Chemical emiss	sions from p	rinting products (See NOTE I	B10)					
P10.2*		_	ECMA-328 Determination of Ch		ites from E	Electronic	\boxtimes		
			, other specify: RAL-UZ 205						
P10.3	Typical emission	rate (operat	ion phase) is (mg/h):						
	Electrophotograp 7.206	ohic devices:	Ozone <1.33 (LOQ) Dust 0.28	Styrene 0.155 Benz	zene <0.0	12 (LOQ) TVOC			
	Ink devices:		Dust S	Styrene Ber	nzene	TVOC			
	NOTE: complian	ce with maxi	mum emission rates in eco labe	els to be declared in	P14.				
P11			printing products						
P11.1*	A Safety Data Sh	heet (SDS) is	available for the ink/toner prep	aration, even if not I	egally requ	uired (see P4.3).	\boxtimes		
P11.2*	Paper containing EN 12281.	g post-consu	mer recycled fibers can be used	d, provided that it me	ets the red	quirements of			
P11.3*	2-sided (duplex)	printing/copy	ring is an integrated product fur	nction.			\boxtimes		
P11.4*	The product is de	elivered to er	nd-user with default auto-duplex	cenabled.			\boxtimes		
P13	Packaging and								
P13.1*	Product packagii Product packagii Product packagii Product packagii	ng material ty ng material ty ng material ty ng material ty ng material ty	/pe(s): HDPE/LDPE blended /pe(s): Expanded PE /pe(s): Corrugated /pe(s): HDPE rigid /pe(s): Polyester film /pe(s): Mixed materials /pe(s): Paper	film weight (kg): 0.554 weight (kg): 2.650 weight (kg): 0.039 weight (kg): 0.015 weight (kg): 0.0073 weight (kg): 0.027					
P13.2*	Product plastic p	rimary packa	ging is free from PVC.				\boxtimes		
P13.3*			ed fiberboard packaging, specifi ntent: Recycled content >25		entage of	minimum post-			
P13.4*	Specify media fo	or user and p	roduct documentation (tick box)	:					
P13.5	(Please only com	nplete this ite at documenta	m if paper documentation used tion on paper media is chlorine-						
	Totally chlorine-f Elemental chlorin Processed chlori	ne-free							
P14	Voluntary progr	rams:							
P14.1			ements of the following volunta	ry program(s):					
	ENERGY STARGECO-label: Blue		Criteria version: 3.0 Criteria version: RAL UZ-205	Date: <i>Oct.</i> 2019 Date: <i>Jan.</i> 2017	Product	category: Imaging category: Office In Function			
	Eco Johol:		Critoria vargion:	Data:		cotogon/:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	MC3326adwe, CX331adwe, MC3326i	Logo	12
Issue date *	10 July 2020 – Updated 30 September 2021		Lexmark

Produc	t environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product.	duct is product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers	be removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the methey are >25g	aterial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts.	ent. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

,	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each	