

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Single-function color Laser Device					
Commercial name *	Lexmark CS730de, Lexmark C4342					
Model number *	CS730de, C4342					
Issue date *	21 March 2022					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Annex B1 of ECMA-370 6th edition, corrigendum December 2019 Page 1 (8)

Model number *	CS730de, C4342	Logo	
Issue date *	21 March 2022		Lexmark

	t environmental attributes - Legal requirements	Require		
tem	-	Yes	No	n.a.
י1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\bowtie		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm ² /week			
P1.0	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference).	\boxtimes		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager (Sustainability@Jexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington,			
	<u>KY 40550</u>			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal			
P2.2	reference)	\bowtie		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3			<u> </u>	. 💷
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
P3.1	The Declaration of Conformity can be requested at (add link or e-mail address):	\bowtie		
	http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).			_
	Required information is; given in item P15 or added to this document,	\square		
	available at (add URL): <u>https://csr.lexmark.com/product-certifications.php</u>			
P4	Consumable materials			•
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\square		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
DE	(see legal reference).			
P5 P5.1*	Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and		_	
5.1	hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🛛		
0.2	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
0.0	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

Model n	umber *	CS730de, C4342 Logo			
lssue da	ite *	21 March 2022		exn	nark
Produc	t environ	mental attributes - Market requirements (See General Note GN below)			
		nental conscious design	Requi	remen	t met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.	a.
P7	Design				
P7.1*		nbly, recycling t have to be treated separately are easily separable			
P7.1				<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.		<u> </u>	<u> </u>
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>
	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u> </u>
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product	lifetime g can be done e.g. with processor, memory, cards or drives	N7		
P7.8*				<u> </u>	<u> </u>
	10	g can be done using commonly available tools	\boxtimes		<u> </u>
P7.9 P7.10		rts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):			
F 7.11		ype: ABS Material type: PC+ABS Material type: HIPS			
P7.12		n materials of external electrical cables are PVC free.		\square	
P7.13	Insulation	n materials of internal electrical cables are PVC free.	Ē		Ē
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts g more than 25% post-consumer recycled content.			
P7.15	Printed ci as define	ricuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger d in IEC 61249-2-21. (See NOTE B2)		\square	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>FR40</i>	\square		
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (a	additive) 🦳, TBBPA (reactive) 📃 (See NOTE B3), Other; chemical name: , CAS #:			
		emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: FR16	\square		
P7.18	concentra 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "			
	3. Chemi <u>Alt. 2: </u> Ch	cal name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\boxtimes		
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model numb	oer *	CS730de	, C4342			Logo			
Issue date *		21 March	2022				🚺 Lex	mo	irk
Product en	vironm	ental attr	<mark>ibutes - Market r</mark>	equirements (conti	nued)		Require Yes	ment No	n.a.
	Aaterial a	nd substa	ance requirements	(continued)					
				· · · · ·	roduct (See NOTE B6)		\boxtimes		
а	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g. 								
				g. d in the product (See N	OTE B7):			\square	
a o b	a) Of to total or o) The v	tal plastic plastic by veight of tl	parts' weight > 25 g weight) is %. he biobased plastic i	·· ·	material content (calcula	ated as a perce	ntage of		
			becify: Number of lar		um mercury content pe	r lamp: n	ng		
P8 B	Batteries								
P8.1* B	Battery ch	emical cor	nposition: <i>Lithium I</i>	Manganese Dioxide (L	iMnO2)				
			on (See NOTE B8)						
P9.1 <u>F</u>	or the pro	oduct the f	ollowing power leve	ls or energy consumpti	ons are reported:				
Energy mode	9 *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		nergy	
Sleep mode f STAR® Oper (OM) product	rational N		W	W	W				\square
Standby/off n ENERGY ST Mode (OM) p	AR Oper	ational	W	W	W				\boxtimes
TEC value fo TEC products Energy Cons	s (TEC=		0.53 kWh/week	0.52 kWh/week	0.53 kWh/week	Energy Star	V3.2		
Printing			595 W	604 W	556 W	Corporate St	andard		
Ready Mode	e 1		47 W	56 W	45 W	Energy Star	V3.2		
Ready Mode	2		22 W	24 W	27 W	Energy Star	V3.2		
Sleep			0.99 W	0.99 W	1.00 W	Energy Star	V3.2		
Hibernate			0.08 W	0.09 W	0.09 W	IEC 62301			
Off			0.08 W	0.09 W	0.09 W	IEC 62301			
External Pow	ver Suppl	y Efficienc	y Level (Internationa	al Efficiency Marking Pr	otocol) * :				\square
Print/Scan Sp	peed *	: •	42 images per minut	te		ISO 24734			
Default time to enter energy save mode: 15 minutes Energy Star V3.2						Energy Star	V3.2		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS730de, C4342	Logo	
Issue date *	21 March 2022		Lexmark

Product	t environmental a	ttributes - Market requir	ements (cor	ntinued)		Require	ment	met
Item						Yes	No	n.a.
P10	Emissions							
		 Declared according to ISO 						
P10.1	Mode	Mode description		Statistical upper lir L _{WA,c} (B)	nit A-weighted sound power le	vel,		
	ldle	* Idle / Ready		* 3.1				
	Operation	* Duplex Monochrome Prir	-	* 6.8				
	Other mode	Simple Monochrome Prin		6.6				
	Measured accordi	ing to: 🔀 ISO 7779 🔀 ECN		only if not covered I	by ECMA-74)			
	Chemical emission	ons from printing products	(See NOTE E	310)				
P10.2*	Test performed ac Equipment (ISO/IE	ccording to ECMA-328 Deter EC 28360) , other specify	mination of Ch : DE-UZ 219	emical Emission R	ates from Electronic	\boxtimes		
P10.3	Typical emission r	rate (operation phase) is (mg	/h):					
	Electrophotograph Ink devices:				ne <0.012 TVOC 6.173(LOQ) nzene TVOC			
	NOTE: compliance	e with maximum emission ra	tes in eco labe	ls to be declared in	P14.			
P11	Consumable mat	terials for printing products	5				·	
P11.1*	A Safety Data She	eet (SDS) is available for the	ink/toner prep	aration, even if not	legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of I IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII							
P11.3*	2-sided (duplex) printing/copying is an integrated product function.							
P11.4*	The product is delivered to end-user with default auto-duplex enabled.							
P13	Packaging and d							
P13.1*	Product packaging Product packaging Product packaging Product packaging	g material type(s): g material type(s): g material type(s):	weight (kg weight (kg weight (kg weight (kg	a): a):				
P13.2*	Product plastic pri	mary packaging is free from	PVC.			\square		
P13.3*	consumer recover		0 0 1 1	•	centage of minimum post-			
P13.4*	Electronic 🔀, Pa		. ,					
P13.5		blete this item if paper docum documentation on paper me cify:				\boxtimes		
	Totally chlorine-fre	ee						
	Elemental chlorine-free					Ħ		
	Processed chlorin	e-free				H		
P14	Voluntary progra	ims:						
P14.1		s the requirements of the foll	owing voluntar	y program(s):				
	ENERGY STAR® Eco-label: <i>Blue A</i>			Date: Nov. 2021 Date: Jan. 2021	Product category: <i>Imaging</i> Product category: <i>Office Eq</i>			
	Eco-label:	Criteria version:		Date:	Printing Function Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	CS730de, C4342	Logo	
Issue date *	21 March 2022		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	