



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo	
Company name *	Lexmark International Inc.		
Contact information *	Reyjoseph Ocaba		■ TM
e-mail address	Lexmark International Inc.		Lexmark
	740 New Circle Road, Building 001		Lexillark
	Lexington, KY 40550		
	sustainability@lexmark.com		
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com		
Additional information			·

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Multi-function color Laser Device
Commercial name *	Lexmark CX730de, Lexmark XC4342
Model number *	CX730de, XC4342
Issue date *	21 March 2022
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	CX730de, XC4342	Logo	IN.
Issue date *	21 March 2022		Lexmark

	environmental attributes - Legal requirements	Require	ement	met
Item	· ·	Yes	No	
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@Jexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): https://csr.lexmark.com/product-certifications.php			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CX730de, XC4342	Logo	14
Issue date *	21 March 2022		Lexmark

Produc	t environmental attributes - Market requirements (See General Note GN below)			
	Environmental conscious design	Regu	irement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No n.a	
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: ABS Material type: PC+ABS Material type: HIPS Insulation materials of external electrical cables are PVC free.			
		<u> </u>		
P7.13	Insulation materials of internal electrical cables are PVC free.			Щ.
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CX730de, XC4342	Logo	14
Issue date *	21 March 2022		Lexmark

Product	environmental att	ributes - Market re	equirements (conti	nued)	R	equire	ment	met
Item			•	•		Yes	No	n.a.
	Material and subst	ance requirements (continued)					
P7.20*	Postconsumer recyc	cled plastic material c	ontent is used in the p	roduct (See NOTE B6)	:	\boxtimes		
			s below shall be answer	ered; /cled plastic material co	ontent (calculated as a			
	percentage of	total plastic by weight		rcica piastic material co	ontent (calculated as a			
		recycled material is	g.					
P7.21*	Biobased plastic ma	aterial content is used	in the product (See No	OTE B7):				
	of total plastic total plastic by	parts' weight > 25 g,	s below shall be answe the biobased plastic r		ated as a percentage of			
		the biobased plastic n						
P7.22*		ee from mercury, i.e. l pecify: Number of lam	ess than 0,1 mg/lamp. nps: and maxim	um mercury content pe	r lamp: mg			
P8	Batteries							
P8.1*	Battery chemical co	mposition: Lithium M	langanese Dioxide (L	iMnO2)				
P9	Energy consumpti	on (See NOTE B8)				•	•	
P9.1	For the product the	following power levels	s or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	le for ENERGY perational Mode ucts	W	W	W				
Standby/or ENERGY	ff mode for STAR Operational I) products	W	W	W				
TEC value	for ENERGY STAR ucts (TEC= Typical ensumption)	0.55 kWh/week	0.53 kWh/week	0.54 kWh/week	Energy Star V3.2			
Printing		617 W	614 W	589 W	Corporate Standard			
Ready Mo		60 W	60 W	49 W	Energy Star V3.2			
Ready Mo	ode 2	29 W	29 W	31 W	Energy Star V3.2			
Sleep		1.02 W	1.02 W	1.03 W	Energy Star V3.2			
Hibernate		0.08 W	0.08 W	0.09 W	IEC 62301			
Off		0.08 W	0.08 W	0.09 W	IEC 62301			
		•	Efficiency Marking Pro	otocol) * :				
Print/Scan	Speed * :	42 images per minute	•		ISO 24734			
Default tim	ne to enter energy sav	ve mode: 15 minutes			Energy Star V3.2			
P9.2*	Information about th	ne energy save function	on is provided with the	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX730de, XC4342	Logo	14
Issue date *	21 March 2022		Lexmark

Product	environmental	attributes -	Market requirem	ents (cor	ntinued)			Require	ment	met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	- Declared a	ccording to ISO 929	6 (See NO	TE B9)					
P10.1	Mode	Mode descr	iption		Statistical upper $L_{WA,c}$ (B)	limit A-weigl	nted sound power le	vel,		
	Idle	* Idle / Rea	dy		* 3.0					
	Operation	* Duplex M	onochrome Printing	7	* 6.8					Н
	Other mode	Simple M	onochrome Printing	1	6.6					
		_	SO 7779 X ECMA-7	er (d	only if not covere	d by ECMA-	74)			
	Chemical emiss	sions from p	rinting products (Se	e NOTE E	310)					
P10.2*			CMA-328 Determina		emical Emission	Rates from I	Electronic	\boxtimes		
			, other specify: DE	-UZ 219						
P10.3	Typical emission	ı rate (operati	on phase) is (mg/h):							
	Electrophotograp	ohic devices:	Ozone <0.3(LOQ) Dust			nzene < <mark>0.012</mark> Benzene	2 TVOC 6.173(LOQ) TVOC			
			num emission rates i	n eco labe	els to be declared	l in P14.				
P11			rinting products							
P11.1*	A Safety Data SI	heet (SDS) is	available for the ink/	toner prep	aration, even if n	ot legally red	uired (see P4.3).	\boxtimes		
P11.2*	Paper containing EN 12281.	post-consun	ner recycled fibers ca	n be used	l, provided that it	meets the re	equirements of	\boxtimes		
P11.3*	2-sided (duplex)	printing/copy	ing is an integrated p	roduct fun	ction.			\boxtimes		
P11.4*			d-user with default a						Ħ	Ħ
P13	Packaging and	documentat	ion							
P13.1*	Product packagii Product packagii Product packagii Product packagii	ng material ty ng material ty	pe(s): pe(s):	weight (kg weight (kg weight (kg weight (kg	g): g):					
P13.2*	Product plastic p	rimary packa	ging is free from PV0	C.				\boxtimes		
P13.3*	For product prim consumer recove		d fiberboard packagi tent: %	ng, specify	y the contained p	ercentage of	minimum post-			
P13.4*	Specify media for Electronic , P		oduct documentation	(tick box)	:					
P13.5		t documentat	m if paper document ion on paper media i							
	Totally chlorine-f Elemental chlori Processed chlori	ne-free								
P14	Voluntary progr	rams:								
P14.1			ements of the following	ng voluntar	ry program(s):					
	ENERGY STARGECO-label: Blue		Criteria version: 3.2 Criteria version: RAI	L UZ-219	Date: Nov. 202 Date: Jan. 202	1 Product	t category: <i>Imaging</i> t category: <i>Office Ed</i> g Function			
	Fco-lahel		Criteria version:		Date:		category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX730de, XC4342	Logo	14
Issue date *	21 March 2022		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement me
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	