

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Single-function Color Laser Device					
Commercial name *	exmark CS943de					
Model number *	CS943de					
Issue date *	10 June 2022					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Annex B1 of ECMA-370 6<sup>th</sup> edition, corrigendum December 2019 Page 1 (8)

5			
Model number *	CS943de	Logo	14
Issue date *	10 June 2022		Lexmark

Item <b>P1</b> P1.1*		Yes	N.L.			
P1.1*		100	INO	n.a.		
	Hazardous substances and preparations	-		•		
	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\bowtie$				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\square$				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\bowtie$				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	$\square$				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager ( <u>Sustainability@Jexmark.com</u> ); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	$\square$				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	$\boxtimes$				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html	$\square$				
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	$\boxtimes$				
	Required information is; given in item P15 or added to this document, available at (add URL): <u>https://csr.lexmark.com/product-certifications.php</u>	$\square$				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	$\boxtimes$				
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	$\boxtimes$				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	$\boxtimes$				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	$\square$				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		CS943de Logo			19
		10 June 2022		exm	nark
Produc	t environ	nental attributes - Market requirements (See General Note GN below)			
		nental conscious design	Requi	rement	t met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.	a.
P7	Design				
P7.1*		nbly, recycling t have to be treated separately are easily separable			_
				<u> </u>	
P7.2*		aterials in covers/housing have no surface coating.		<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.		Ц.	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ц.	
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$		
P7.7*	Product	lifetime g can be done e.g. with processor, memory, cards or drives			_
P7.8*				<u> </u>	
-		g can be done using commonly available tools	$\bowtie$		<u> </u>
P7.9		rts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements over/housing material type (e.g. plastics, metal, aluminum):			
F 7.11		ype: ABS Material type: PC+ABS Material type: HIPS			
P7.12		materials of external electrical cables are PVC free.		$\square$	
P7.13	Insulation	materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%				
		000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts g more than 25% post-consumer recycled content.	i.		
P7.15		rcuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger			
		d in IEC 61249-2-21. (See NOTE B2)			
P7.16		arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
	Marking:				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	IBBPA (a	additive) 🔲, TBBPA (reactive) 🔲 (See NOTE B3), Other; chemical name: , CAS #:			
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in printed circuit boards (without components) > 25 g	$\square$		
	according	ISO 1043-4: FR16			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			_
		ations above 0,1%: cal name: , CAS #: (See NOTE B4)			
		cal name: , CAS #: "			
	3. Chemi	cal name: , CAS #: "			
	AH 0. 04	amical apositionations of flame retardents in plastic parts > 25 a cooperding ISO 1042-4	$\bowtie$		
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: 217. FR30+40			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned	the following Risk phrases; and Hazard statements:			
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CS943de			Logo				
Issue date *	10 June 2022				🚺 Lex	mo	Irk	
<b>Product environm</b>	ental attributes - Marke	et requirements (cont	inued)		Require	ment	met	
Item		· ·			Yes	No	n.a.	
	and substance requireme	nts (continued)						
P7.20* Postcons	umer recycled plastic mater	ial content is used in the p	product (See NOTE B6)	):				
a) Of to perc or	percentage of total plastic by weight) is %.							
	weight of recycled material plastic material content is u						_	
lf YES; at a) Of to total or	t least one of the two alternational terms of the two alternations of two alternations of the two alternations of the two alternations of the two alternations of two alternations	tives below shall be answ 5 g, the biobased plastic %.	vered;	lated as a percenta	age of			
	rces are free from mercury, y is used specify: Number o		o. num mercury content pe	er lamp: mg	$\boxtimes$			
P8 Batteries								
	nemical composition: Lithiu	m Manganese Dioxide (l	LiMnO2)					
P9 Energy c	onsumption (See NOTE B	8)						
P9.1 For the p	roduct the following power le	evels or energy consumpt	ions are reported:					
Energy mode *	Power level a <b>100</b> V AC	at Power level at <b>115</b> V AC	Power level at 230 V AC	Reference/Stand modes and test		nergy		
Sleep mode for ENER STAR® Operational I (OM) products		W	W				$\square$	
Standby/off mode for ENERGY STAR Ope Mode (OM) products		W	W				$\square$	
TEC value for ENER( TEC products (TEC= Energy Consumption	Typical )	0.86 kWh/week	0.86 kWh/week	Energy Star V3	.2			
Printing	<b>743</b> W	724 W	756 W	Corporate Stan	dard			
Ready Mode	71 W	72 W	<b>75</b> W	Energy Star V3				
Sleep	<b>1.30</b> W	<b>1.30</b> W	1.31 W	Energy Star V3	.2			
Hibernate	0.04 W	0.05 W	0.08 W	IEC 62301				
Off	0.02 W	0.02 W	0.03 W	IEC 62301				
	W	W	W					
External Power Supp	ly Efficiency Level (Internati	onal Efficiency Marking P	rotocol) * :				$\boxtimes$	
Print/Scan Speed *	: 55 images per m	inute		ISO 24734				
Default time to enter	energy save mode: <mark>15</mark> minu	tes		Energy Star V3	.2			
P9.2* Information about the energy save function is provided with the product.								

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS943de	Logo	
Issue date *	10 June 2022		Lexmark

Product	environmental	attributes - Mark	et requirements (	continued)			Require	ment	met
Item							Yes	No	n.a.
P10	Emissions								
			ng to ISO 9296 (See						
P10.1	Mode	Mode description		Statistical up L <sub>WA,c</sub> (B)	oper limit A-we	ighted sound power	level,		
	Idle	* Idle / Ready		3.3					
	Operation	* Duplex Monoch	rome Printing	6.9					
	Other mode	Simplex Monoc	hrome Printing	6.7					
	Measured according to: ISO 7779 ECMA-74								
	Chemical emiss	sions from printing	products (See NOT	FE B10)			-	÷	
P10.2*	Test performed a	according to ECMA-	328 Determination of	f Chemical Emiss	sion Rates fror	m Electronic	$\boxtimes$		
	Equipment (ISO/IEC 28360) , other specify: RAL-UZ 219								
P10.3	Typical emission	rate (operation pha	se) is (mg/h):						
	Electrophotograp TVOC <u>8.018</u>	ohic devices: Ozone	<0.29 (LOQ) Dust <	0.24 (LOQ) Styre	ene <mark>0.311</mark> Ben	zene <0.012 (LOQ)			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: complian	ce with maximum e	mission rates in eco l	abels to be decla	ared in P14.				
P11	Consumable ma	aterials for printing	products				•		
P11.1*	A Safety Data Sh	heet (SDS) is availa	ble for the ink/toner p	preparation, ever	n if not legally i	required (see P4.3).	$\square$		
P11.2*	Paper containing EN 12281.	g post-consumer rec	ycled fibers can be u	sed, provided th	at it meets the	requirements of	$\boxtimes$		
P11.3*	2-sided (duplex)	printing/copying is a	an integrated product	function.			$\square$		
P11.4*	The product is de	elivered to end-user	with default auto-dup	plex enabled.					
P13	Packaging and	documentation							
P13.1*	Product packagin Product packagin	ng material type(s): ng material type(s): ng material type(s): ng material type(s):	weigh weigh weigh weigh weigh	t (kg): t (kg):					
P13.2*	Product plastic p	rimary packaging is					$\boxtimes$		
P13.3*	consumer recove	ered fiber content:	board packaging, spe %		ed percentage	of minimum post-			
P13.4*	Specify media fo Electronic 🔀, P		documentation (tick b	pox):					
P13.5		t documentation on	per documentation us paper media is chlor						
	Totally chlorine-f	ree					$\square$		
	Elemental chlorir								
	Processed chlori						H		
P14	Voluntary progr								
P14.1			of the following volu	ntary program(s)	):				
	ENERGY STAR Eco-label: <b>Blue</b>	® Criteri	a version: <b>3.2</b> a version: <i>RAL UZ-</i> 2	Date: Nov.	2021 Produ 2021 Produ	uct category: Imagin uct category: Office			
	Eco-label:	Critori	a version:	Date:		<i>ing Function</i> uct category:			
L		Cillen		Dale.	FIUU	uor caregory.			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS943de	Logo	
Issue date *	10 June 2022		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	